### STATE OF NEBRASKA

DEPARTMENT OF ENVIRONMENTAL QUALITY
Michael J. Linder

Director

Suite 400, The Atrium 1200 'N' Street P.O. Box 98922

Lincoln, Nebraska 68509-8922 Phone (402) 471-2186

FAX (402) 471-2186 FAX (402) 471-2909

Site: Bratice FMGP ID#: NENDONO9089

Break: <u>ルサ</u> Other: \_\_\_\_

6/25/01

JUN 25 2001

Mike Johanns Governor Mr. Timothy Curry
Enforcement/Fund-Lead Removal Branch, Superfund Division
U. S. Environmental Protection Agency, Region 7
901 North 5th Street
Kansas City, Kansas 66101

RE: The Pre-CERCLIS Site Screening Assessment for the Beatrice Former Manufactured Gas Plant (FMGP) Site.

Dear Mr. Curry:

The Pre-CERCLIS Screening Assessment report for the Beatrice FMGP site is enclosed. This Screening Assessment was completed under the Multi-Site Cooperative Agreement between Region 7 U.S. EPA and NDEQ.

The FMGP site sampled is located directly south of the intersection of First and Market Streets in Beatrice, Nebraska. The inactive site is adjacent and east from the Big Blue River. Additional information collected from the Beatrice Public Library indicated that the location of the electric utility may have changed and there were road name changes and redevelopment in the vicinity of the site. The current site is located on First Street, south of Market Street, between the Big Blue River and the railroad tracks. The following are various locations found for the Beatrice Electric Company:

- In 1888 Northwest corner of Front and Elk Streets,
- In 1890 First Street, between Elk and Ella Streets,
- In 1898 301 N. First Street (same as Front and Elk Street location in 1888;
   First Street is the same as Front Street), and
- In 1902-1911 No specific references to address and Streets.

In 1992, HDR Environmental Engineering conducted an investigation of the site/area of concern. Soil and ground water samples were analyzed for volatile organic compounds (VOCs), polynuclear aromatic hydrocarbons (PAHs), metals, and cyanide. It appears that chemical analyses conducted on both ground water and soil samples verified that the site has been impacted with contaminants consistent with FMGP process byproducts/wastes.

The Pre-CERCLIS Site Screening Assessment conducted at the Beatrice FMGP was designed to gather information to assess potential threats to human health and the environment and to determine the potential need for additional response/assessment

40105472



SUPERFUND RECORDS

An Equal Opportunity/Affirmative Action Employer

Printed with say ink on recycled paper

under CERCLA. VOC, PAH, and heavy metal contamination was detected in a soil sample collected from the site using direct push technology (i.e., Geoprobe®). The field activities included the collection and analyses of two of four ground water samples. The analytical results verified impact to the ground water pathway. The contaminants of concern with the greatest concentrations include naphthalene, acenaphthene, phenanthrene, and total extractable hydrocarbons. The reported concentrations of several compounds exceeded maximum contaminant levels (MCLs).

No other up-gradient sources of the target compounds were identified, indicating that the release to ground water mostly likely originated from on-site sources. In fact, the contaminated on-site soils may be acting as a secondary source under current site conditions.

It is apparent that a release of hazardous substances has occurred to on-site soils and to the ground water pathway in the vicinity of the site. Further site assessment under CERCLS is necessary to better determine the potential risks to human health and the environment and to determine if removal actions may be warranted at this site.

The Pre-CERCLIS Site Screening Assessment report was prepared by Jacobson Helgoth Consultants, Inc. and reviewed by Wade Gregson. If you have any questions, please call us at (402) 471-3388.

Sincerely,

Steve Kemp

Unit Supervisor Remediation Section

Waste Management Division

Enclosure

# PRE-CERCLIS SITE SCREENING ASSESSMENT BEATRICE FORMER MANUFACTURED GAS PLANT BEATRICE, NEBRASKA

for

## THE UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 7

and

## NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY

prepared by

JACOBSON HELGOTH CONSULTANTS, INC.

May 2001

Revision 0



#### TABLE OF CONTENTS

	<u>Page</u>
SECTION 1.0 – INTRODUCTION	1
1.1 Purpose	1
1.1 Purpose	1
SECTION 2.0 – SITE DESCRIPTION AND HISTORY	2
2.1 Site Location and Description	نع د
<ul><li>2.1 Site Location and Description</li><li>2.2 Background Information</li></ul>	ت ۱
2.3 Previous Investigations	4 1
2.3 Previous Investigations	:4
SECTION 3.0 – FIELD ACTIVITIES	6
SECTION 3.0 – FIELD ACTIVITIES	6
3.2 Analytical Results	6
5.2 Tituly then Tresuits	
SECTION 4.0 - GROUND WATER MIGRATION PATHWAY	11
4.1 Geology	11
4.2 Hydrogeology	11
4.3 Soils	12
4.1 Geology	12
4.5 Wellhead Protection	13
4.5 Wellhead Protection	14
	4=
SECTION 5.0 – SURFACE WATER MIGRATION PATHWAY	15
<ul><li>5.1 Surface Water Targets</li><li>5.2 Wetlands</li><li>5.3 Surface Water Conclusions</li></ul>	15
5.2 Wetlands	16
5.3 Surface Water Conclusions	16
SECTION 6.0 – SOIL EXPOSURE AND AIR MIGRATIONS PATHWAYS	·17
6.1 Soil and Air Targets	
6.2 Soil Exposure and Air Migration Pathways Conclusions	
5.2 Son Exposure and the inigration rantways Conclusions	
SECTION 7.0 – SUMMARY AND CONCLUSIONS	18
SECTION 8.0 – REFERENCES	. 10
SECTION 6.0 - REFERENCES	19

#### LIST OF TABLES

#### LIST OF FIGURES

Area Location Map of Beatrice, Nebraska Site Location Map SCS Soils Map Regional Ground Water Flow Direction Map Beatrice, NE Topographic Map Aerial Photograph

#### LIST OF APPENDICES

Maps and Figures
Pertinent Information
Region VII Superfund Site Pre-CERCLIS Screening Form
Beatrice Topographic Map

#### LIST OF ABBREVIATIONS

CERCLA Comprehensive Environmental Response Compensation and Liability

Act

EPA U.S. Environmental Protection Agency

EPS Environmental Priority Service

FMGP Former Manufactured Gas Plant

GC Gas Chromatograph

JHC Jacobson Helgoth Consultants, Inc.

MCL Maximum Contaminant Level

mg/L Milligrams per Liter

NDEQ Nebraska Department of Environmental Quality

NFRAP No Further Remedial Action Planned under CERCLA Authority

PAH Poly Aromatic Hydrocarbons

PCSSA Pre-CERCLIS Site Screening Assessment

ppb Parts per Billion

ppm Parts per Million

QA/QC Quality Assurance/Quality Control

SARA Superfund Amendments and Reauthorization Act of 1986

Semi-VOC Semi-Volatile Organic Compound

VOC Volatile Organic Compound

#### SECTION 1.0 INTRODUCTION

The Nebraska Department of Environmental Quality (NDEQ), under a Multi-Site Cooperative Agreement with the Region 7 Office of the U.S. Environmental Protection Agency (EPA), agreed to perform investigations of selected sites to evaluate potential or actual releases of hazardous substances, pollutants, or contaminants. This Pre-CERCLIS Site Screening Assessment (PCSSA) at the Beatrice Former Manufactured Gas Plant (FMGP) was performed by Jacobson Helgoth Consultants, Inc. (JHC) under a Task Order assigned by the NDEQ. The investigation was done under authority of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) as amended by the Superfund Amendments and Reauthorization Act (SARA) of 1986.

#### 1.1 Purpose

The purpose of this PCSSA is to collect information concerning conditions at a site sufficient to identify and assess potential hazards posed to human health and the environment. This PCSSA will be used to determine the possible need for further action under CERCLA or to recommend No Further Remedial Action Planned (NFRAP) status.

This PCSSA includes analytical results from field activities conducted in March 2001 and from other field activities conducted in 1992.

#### 1.2 Objectives

The objectives for this project includes:

- Identifying potential source areas of contamination and targets;
- Documenting whether a release of a hazardous substance has occurred;
- Identifying any actual or potential immediate environmental impact or threat to human health that may warrant a removal action;
- Limited sampling of potential targets; and

	nation can be attributed to the potential
source area(s).	
	· ·
	1
•	
•	
	· .
	*
	:
NDEQ/ EPA Pre-CERCLIS Screen Beatrice, NE  JHC Project No. 362-26  2	lssued: May 200 Rev. 0

#### SECTION 2.0 SITE DESCRIPTION AND HISTORY

#### 2.1 Site Location and Description

The City of Beatrice is located approximately 30 miles south of Lincoln, Nebraska, on State Highway 77 in Gage County, Nebraska. The legal description is the SE 1/4, SW 1/4 of Section 33, Township 4 North, Range 6 East (Ref. 2). The geographic coordinates are latitude 40° 15′ 51.45″ North; longitude 96° 45′ 11.52″ West (Ref. 1). The Former Manufactured Gas Plant (Site) is located near 1<sup>st</sup> and Market Street. The inactive Site is directly adjacent and east from the Big Blue River. An Area Location Map, a Site Location Map, an Aerial Photograph and a small-scale topographic map of the area are provided in Appendix A. The area topographic map showing 4-mile radius rings for population estimate is attached in Appendix D.

Additional information includes information collected from the Beatrice Library which indicated that the location of the electric utility might have changed because of road name changes and area redevelopment. The following are the various addresses found for the Beatrice Electric Company.

- Year 1888 Northwest corner of Front and Elk Streets,
- Year 1890 1<sup>st</sup> Street, between Elk and Ella,
- Year 1896 (no plant address given)
- Year 1898 301 N. 1<sup>st</sup> Street, (Same as Front and Elk Street location in 1888, 1<sup>st</sup> Street is the same as Front Street).
- Years 1902-1911 The business name was given, but there was no address for the plant.

The current Site is located on 1<sup>st</sup> Street, south of Market, between the Big Blue River and the railroad tracks.

#### 2.2 Background Information

Manufactured gas plants were also known as gas works or town gas plants. These facilities were in use between the 1800s and the 1960s. Most plants were closed in the late 1940s because of the availability of natural gas. The manufactured gas was used for heating, in gas lights and the gas was also used to convert to electricity. The manufacturing process, using coal, left contaminant byproducts (often of the coal-tar variety) that, at some facilities, have impacted ground water and soil. Table 1 shows coal-derived chemicals that are associated with most of the contaminant byproducts from the manufacturing process.

Table 1 Coal-Derived Chemicals					
Conventional	Inorganics	Metals	Volatile	Phenolics	PAHs
			Aromatics		
pН	Ammonia	Aluminum	Benzene	Phenol	Acenaphtene
5 day BOD	Cyanide	Antimony	Ethylbenzene	2-Methyl phenol	Acena- phthylene
COD	Nitrate	Arsenic	Toluene	2-Methyl phenol	Anthracene
TOC	Sulfate	Barium	Xylene	2,4-Dimet- hylphenol	Benzo(a) pyrene
TSS	Sulfide	Cadmium			Benzo(b) fluoranthene
Oil and Grease	Thio cyanates	Chromium			Benzo(g,h,i) perylene
Phenols(4-AAP)		Copper			Benzo(k) fluoranthene
		Iron .		<u> </u>	Chrysene
		Lead			Dibenzo(a,h) anthracene
		Manganese			Fluoranthene
		Mercury			Naphthalene
		Nickel	,		Indeno(1,2,3- c,d)pyrene
		Selenium			Phenanthrene
		Silver	•		Pyrene
		Vanadium			
		Zinc			

#### 2.3 Previous Investigations

The manufacturing process and associated waste byproducts have been identified from a previous field investigation conducted in 1992 (Ref 4). The field investigation was conducted by HDR in 1992 for Minnegasco of the former Centel Former Manufactured Gas Plant. It appears that chemical analysis

conducted on both ground water and soils verify that the Site has been impacted by process contaminants. Ground water was collected and analyzed at three locations across the Site. Table 2 shows the analytical results for ground water samples collected during the 1992 Site investigation.

Table 2 Ground Water Analytical Results 1992 Field Activities, Beatrice FMGP				
Contaminants	Ground Water Sampling Locations			
	MW-101	MW-103	MW-106	
VOCs	mg/L	mg/L	mg/L	
Benzene	12.0	.920	<.005	
Ethylbenzene	2.80	1.30	.092	
Toluene	.75	.075	<.005	
Xylene	2.40	.800	.018	
Semi-VOCs				
Acenaphthene	.380	1.20	.074	
Fluorene	<.200	.580	.026	
2-Methyl naphthalene	1.50	1.20	<.0.10	
Naphthalene	4.90	7.80	.120	
Phenanthrene	.370	1.30	.020	
Metals		-		
Arsenic	0.015	0.013	0.011	
Barium	0.38	0.28	0.82	
Chromium	< 0.010	<0.010	0.026	
Copper	<0.020	<0.020	<0.020	
Lead	< 0.0050	0.0062	0.019	
Nickel	< 0.040	<0.040	0.055	
Vanadium	<0.010	<0.010	0.048	
Zinc	0.059	0.058	0.14	
General Inorganics	,			
Cyanide	0.17	<0.010		

#### SECTION 3.0 FIELD ACTIVITIES

Field activities at the Site began in March 2001. Contractor personnel on-site included Mr. Bruce Haley of Jacobson Helgoth Consultants, Inc., and Mr. Doug Roy of Environmental Priority Service, Inc. (EPS). Mr. Bob Zimmerman was on-site representing the NDEQ. Photographs of the potential source area are included in Appendix B.

Equipment used during this field event included the following: a full-sized van that contained a Geoprobe® direct push unit and a mobile gas chromatograph (GC).

The primary objective of the PCSSA was to verify contamination and identify potential source/s of subsurface or surface contamination that could present actual or potential threats to the environment or human health.

Direct push technology was used to collect ground water and soil sampling media from the Site. Information was collected from four sampling points/locations as shown on the Site Location Map. The map is included in Appendix A.

#### 3.1 Sample Locations and Rationale

Sampling locations were selected based on the closeness of the Site to the Big Blue River and the local ground water flow direction. P-1 was selected as the probable background location at the north end of the Site. The probe location was near the northwest corner of what was left of the foundation of the office building. P-2 was selected based on the location of the suspected containment vessel. What is left of the containment vessel area is the round concrete foundation. P-2 was also located on the downgradient side of the remaining concrete foundation.

#### 3.2 Analytical Results

The ground water samples were collected from three probe locations across the Site. Sample location P-2 was selected as a confirmation sample based on the

color and odor of the sample. The confirmation sample was sent to an off-site analytical laboratory for analysis (Ref 9, 10).

Tables 3 and 4 present the analytical results for soil and ground water samples analyzed by the on-site mobile laboratory for BTEX. An on-site ground water sample was not analyzed for P-3 because of the collection of free product. The reason for not conducting the analysis is because of the potential damage to the analytical equipment from the free product.

	Table 3 On-Site Analytical Sampling Results, Ground Water (BTEX) Beatrice FMGP Beatrice, Nebraska March 22, 2001				
Sample	ample Depth Benzene Toluene Ethylbenzene Xylene				
ID		·			
P-1	21′	1.6	6.6	11.7	43.0
P-2	15′	236	26.7	860	211
P-3	20′	Free product	Free product	Free product	Free product
P-4	Dry	NA	NA	NA	NA

Results are in ppb – Parts per billion NA – not applicable

	Table 4 On-Site On-Site Analytical Sampling Results, Soil (BTEX) Beatrice FMGP Beatrice, Nebraska March 22, 2001					
Sample						
ID	ID					
P-1	P-1 5' ND ND ND ND					
P-1	P-1 10' ND ND ND ND					
P-2	5′	ND	ND	ND	ND	
P-2	10′	ND	ND	ND	ND	

## Table 4 (continued) On-Site Analytical Sampling Results, Soil (BTEX) Beatrice FMGP Beatrice, Nebraska March 22, 2001

Sample ID	Depth	Benzene	Toluene	Ethylbenzene	Xylene
P-3	5′	ND	ND	ND	ND
P-3	10′	ND	ND	ND	ND
P-4	5′	ND	ND	ND	ND
P-4	10′	ND	ND	ND	ND

Results are in ppb – Parts per billion

Tables 5, 6, 7 and 8 represent the analytical results of the ground water sample collected at P-2 and analyzed at the off-site laboratory. Table 5 are of those eight Resource Conservation and Reauthorization Act (RCRA) that are above the method detection limit (MDL). Table 6 is volatile organics analyzed using EPA Method 8260. Table 7 is semi-volatile organics analyzed using EPA Method 8270. Table 8 is extractable hydrocarbons analyzed using EPA Method 8015.

	Table 5
	Off-Site
	Analytical Sample Results, Ground Water
	Metals, Method 6010
	Beatrice FMGP
	Beatrice, Nebraska
	March 22, 2001
Sample Analysis Co	nducted On P-2; collected at a depth of 15 feet

Sample Analysis Conducted On P-2; collected at a depth of 15 feet					
Analyte	Result, mg/L	MCL	Quantitation Limit		
Arsenic	1.23	0.05	0.80		
Barium	3.15	2	0.10		
Chromium	0.21	0.1	0.20		
Mercury	0.00036	0.002	0.0002		

Results are in ppm - Parts per million

### Table 6 Off-Site

#### Analytical Sample Results, Ground Water Volatiles, Method 8260

Beatrice FMGP Beatrice, Nebraska March 22, 2001

Sample Analysis Conducted On P-2; collected at a depth of 15 feet

Analyte	Result, µg/L	MCL	Quantitation Limit
Benzene	939	5	100
n-Butylbenzene	8.9	NA	5
tert-Butybenzene	16.2	NA	5
Ethylbenzene	847	700	5
Isopropylbenzene	30.8	NA	5
Naphthalene	7,250	NA	120
n-Propylbenzene	14.6	NA	5
Toluene	14.9	1,000	5
1,2,4-	179	NA	5
Trimethylbenzene			
1,3,5-	148	NA	5
Trimethylbenzene		•	
Xylenes, Total	379	10,000	15

Results are in ppb - Parts per billion

#### Table 7 Off-Site

Analytical Sample Results, Ground Water Semi-Volatiles, Method 8270 Beatrice FMGP Beatrice, Nebraska March 22, 2001

Sample Analysis Conducted On P-2; collected at a depth of 15 feet

Analyte	Results, μg/L	MCL	Quantitation Limit
Acenaphthene	1,960	NA	1,100
Anthracene '	551	NA	110
Benzo(a)anthracene	249	NA	110

# Table 7 (continued) Off-Site Analytical Sample Results, Ground Water Semi-Volatiles, Method 8270 Beatrice FMGP Beatrice, Nebraska March 22, 2001

Analyte	Results, μg/L	MCL	Quantitation Limit
Benzo(k)fluoranthene	135	NA	110
Benzo(a)pyrene	252	0.2	110
Benzo(ghi)perylene	112	NA	110
Chrysene	224	NA	110
Fluoranthene	648	NA	110
Fluorene	610	NA	110
2-Methylnapthalene	2,610	NA	1,100
Naphthalene	11,300	NA	1,100
Phenanthrene	2,400	NA	1,100
Pyrene	818.	NA	110

Results are in ppb - Parts per billion

#### Table 8 Off-Site

Analytical Sample Results, Ground Water Extractable Hydrocarbons, Method 8015 Beatrice FMGP Beatrice, Nebraska March 22, 2001

Sample Analysis Conducted On P-2; collected at a depth of 15 feet

Analyte	Result, µg/L	MCL	Quantitation Limit
Total Extractable	224,000	NA	7,600
Hydrocarbons			$\mathcal{A}_{i,j} = \{ (i,j) \mid i \in \mathcal{A}_{i,j} = \emptyset \}$
Diesel	201,000	NA	7,600
Motor Oil	22,700	NA NA	7,600

Results are in ppb - Parts per billion

## SECTION 4.0 GROUND WATER MIGRATION PATHWAY

The possible release of FMGP contaminants to ground water was the primary environmental concern at Beatrice. A discussion of migration pathways follows.

#### 4.1 Geology

Glacial till of low permeability covers most of the area in the vicinity of Beatrice, Nebraska. Pleistocene deposits of loess, glacial material, shale and limestone compose the surface materials at the Site. The uppermost units of bedrock underlying Gage County include limestone and calcareous shale of Lower Permian Age and limestone and shale of Pennsylvanian Age (Ref 3, 8).

#### 4.2 Hydrogeology

The Site is within the Southeastern Glacial Drift Ground Water Region of Nebraska. The primary units from which ground water is obtained are sand and gravel deposits associated with paleovalleys and along some modern stream valleys (Big Blue River); these are usually of limited extent. Nearly all major water supplies in this region come from paleovalleys. The water quality varies from good (but hard) to very hard, with the sulfate and iron content often exceeding acceptable limits (Refs. 8, 11).

The Dakota Group serves as a secondary source of ground water where the primary Pleistocene sources are insufficient to meet water-supply needs. Because of its geologic variability, the Dakota Group's capacity to yield ground water can differ over short distances; consequently, well yields can be difficult to predict. The thickness of the saturated ground water-bearing units is generally less than 300 feet. Depth to the regional water table varies as a function of topographic location. In upland areas, depth to water may be greater than 200 feet, while it may be less than 50 feet in the bottomlands of the principal valleys. Depending on the ground water-bearing unit and its location, total dissolved solids may differ from 200 to more than 1,000 parts per million (ppm). In some

areas, the Dakota Group may have total dissolved solids exceeding 5,000 ppm (Refs. 8, 11).

In many locations where these units are not available, perched ground water is used. Perched water conditions occur in areas underlain by glacial till. Water from precipitation or applied from irrigation moves readily through loess and/or isolated lenses of sand and gravel, but not through glacial till. As a result, water saturates the sediments above the till and a perched water table forms. Many domestic farm and stock wells have been developed in these perched water bodies. Because of the variability in water quality and in the limited distribution of ground water-bearing units, rural water districts are common (Ref. 3, 8).

Depth to the regional water table ranges from less than 50 feet to more than 100 feet. The saturated thickness of several geologic units range from about 0 feet to less than 100 feet. Ground water flow direction near the Site is generally toward the south-southeast. Depth to ground water varies. At the Site, the depth to water varied from 15-20 feet. A Ground Water Flow Direction Map is in Appendix A.

#### 4.3 Soils

Because the Site is located directly adjacent to the Big Blue River, the Hobbs-Judson association has been identified as the prominent soils in the area (Ref. 3). The Hobbs-Judson association is generally found on low valley bottoms, terraces and foot slopes. The soils are well drained and comprise approximately 6 percent of the County. The Hobbs soils are medium textured deposited by streams. The soils are very dark grayish brown silty loam. The Judson soils are the most extensive across the foot slopes. A Soils Map is in Appendix A.

#### 4.4 Ground Water Use and Targets

Beatrice has an eleven well municipal well field, located approximately six miles northwest from the Site, that provides water to most of the area. The wells supply water to a blended system. There are 18 registered private wells within four miles of the site (Ref. 12). The wells are domestic water supply wells that

can be regarded as potential ground water targets. The well registrations are in Appendix B. Distribution of the potential ground water target population is summarized in the following table.

Table 9 Potential Targets and Ground Water Intakes Beatrice, Nebraska		
Target Distance Limit	Number of Wells	Potential Targets
0-1 mile	0	7,100
1-2 miles	4	5,200
2-3 miles	11	148
3-4 miles	7	252

Based upon information from the 1990 census and topographic maps of the area, approximately 12,300 people get their drinking water from wells located within four miles of the site. It is important to remember that Beatrice itself, exists in a remedial action class #3 ground water zone, where the ground water in the area is not used for consumption. This is the reason that the municipal wells have been relocated approximately six miles northwest of Beatrice.

#### 4.5 Wellhead Protection

A wellhead protection area was established for the well field that supplies public drinking water to Beatrice in March 1991. The wellhead protection area is within the Lower Big Blue Natural Resource District.

#### 4.6 Ground Water Conclusions

Ground water samples were collected from four sampling locations across the Site. On-site analysis for BTEX was conducted on two of the four samples. One of the two samples not analyzed contained or was essentially "free product" and was not analyzed because of the potential damage to the analytical equipment. Another sample was not collected because the hole was dry. A duplicate ground water sample was collected from P-2 and submitted to the off-site laboratory for confirmation analysis. Both on-site and off-site analysis confirmed that the ground water pathway was impacted by wastes likely to be generated from the manufactured gas plant.

## SECTION 5.0 SURFACE WATER MIGRATION PATHWAY

Beatrice is located in the flood plain of the Big Blue River. The Big Blue River is in an area of low rolling hills that slope southeast. The topography at Beatrice is relatively flat, but surface water will typically follow the topography and therefore, the runoff should be toward the southeast. (Refs. 2, 3).

#### 5.1 Surface Water Targets

There is one surface water intake used for domestic water use in Gage County. This intake is in Bear Creek. The major surface water target near the Site is the Big Blue River. There are no domestic use surface water intakes within 15 miles of Beatrice along the Big Blue River (Ref. 6). The Big Blue River is used as a designated fisheries in the area. The river is deep and wide enough to support fishing for consumptive use along the river until it leaves the State.

Several threatened and endangered species have been identified in Gage County (Ref. 7). The following table identifies those species that may be in the area.

	Endangered and T	le 10 Threatened Species nty Region	
Common Name	Scientific Name	State Status	Federal Status
	Pla	ints	
NA			
	Bi	rds	
Eskimo Curlew	Numenius borealis	Endangered	Endangered
Bald Eagle	Haliaeetus	Threatened	
	leucocephalus		
<u> </u>	Man	nmals	
Swift Fox	Vulpes velox	Endangered	
Black-footed	Mustela nigripes	Endangered	Endangered
Ferret			

No known state or federally listed threatened or endangered species is a permanent resident of Beatrice (Ref. 7).

#### 5.2 Wetlands

The nearest wetland area is in the Big Blue River (Ref. 5). The river itself is identified as a "R2UBH". This designation is described as follows; (R) Riverine, (2) Lower Perennial, (UB) Unconsolidated Bottom, and (H) Permanently Flooded. Islands within the river are identified as "PSSA". The description is (P) Palustrine, (SS) Scrub-Shrub, and (A) Temporarily Flooded. No other land surface wetlands have been identified within the town limits. Other wetlands have been identified down stream along the Big Blue River.

#### 5.3 Surface Water Conclusions

Because of the location of the Big Blue River to the Site, there is concern that wastes from the Site's manufacturing process may have impacted the river from surface water run-off. There is also concern that ground water contamination may have leached into the river.

#### **SECTION 6.0**

#### SOIL EXPOSURE AND AIR MIGRATION PATHWAYS

#### 6.1 Soil and Air Targets

People who may come in contact with contaminated soil would be potential targets for the soil and air pathways. The Site is currently not in use. The buildings, containment vessel and associated piping have been removed. The property is owned by the City of Beatrice, but no City activities are conducted there.

#### 6.2 Soil Exposure and Air Migration Pathways Conclusions

The soils around Beatrice consist of the Hobbs-Judson association, where the soils are "found mainly on low valley bottoms, low terraces and foot slopes" (Ref. 3). Some of the soils are well drained. This association makes up about 6 percent of the County.

## SECTION 7.0 SUMMARY AND CONCLUSIONS

The field activities associated with this investigation included the collection and analysis of two of four ground water samples. Duplicate ground water samples from location P-2 were sent to the off-site lab for confirmation analysis. The analytical results verified impact to the ground water pathway. The contaminants of concern, presented in Table 1, are associated with VOC, Semi-VOCs, PAHs and metals. The contaminants with the greatest concentrations include naphthalene, acenaphthene, phenanthrene, Total Extractable Hydrocarbons, Diesel and Motor Oil.

JHC recommendations for this project are based on the following:

- The on-site ground water analysis did show impact to the ground water pathway by VOCs, Semi-VOCs and PAHs.
- The ground water sample from P-3 was not analyzed because it was suspected to be "free product" and thus there was the potential for equipment problems.
- The off-site analysis verified the limited on-site analysis.
- Soil sample analysis could not confirm contamination.


Jacobson Helgoth Consultants recommends listing the site on CERCLIS and conducting further site assessment under CERCLA to determine potential impact to human health and the environment.

#### SECTION 8.0 REFERENCES

- 1. US Geological Survey, Digital Raster Graphics, automatic latitude and longitude.
- US Geological Survey 7.5 Minute Quadrangle Topographic Map for: Beatrice, Nebraska. This is a population radius map that combines the Topographic Quadrangle Maps of Beatrice West, Beatrice East, Odell, and Blue Springs.
- Soil Survey of Gage County, Nebraska, USDA Soil Conservation Service,
   University of Nebraska Conservation and Survey Division, 1964.
- 4. UtiliCorp United, Phase I investigation, 1992, Beatrice Former Manufactured Gas Plant.
- Department of the Interior United States Fish and Wildlife Division
   Wetlands Map, Interactive Mapping Program.
- 6. List of Municipal of Drinking Water Supplies from Surface water Intakes in Nebraska, Department of Water Resources, Online Service.
- 7. Department of the Interior, United States Fish and Wildlife Division Threatened and Endangered Species List, Nebraska, 1993.
- 8. The Ground Water Atlas of Nebraska, Resource Atlas No. 4, Conservation and Survey Division, University of Nebraska, 1986.
- 9. Test America analytical results for Beatrice, Nebraska, 2001.
- 10. Environmental Priority Service Analytical Results.
- 11. US Geological Survey, Ground Water Atlas of the United States, Segment 3, 1997.
- 12. Department of Natural Resources, Domestic Well Registrations.

### **APPENDIX A**

MAPS AND FIGURES







Date: 5-07-01 Scale: NTS JHC No.: 362-26 Drawn By: KDG Checked By: BWH Figure:

#### AREA LOCATION MAP

Beatrice, Nebraska NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY







Soil Survey Gage County, Nebraska 1964




Date: 5-07-01
Scale: NTS
JHC No.: 362-26
Drawn By: KDG
Checked By: BWH
Figure:

#### **SOILS MAP**

Beatrice, Nebraska
NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY







Date: 5-07-01 Scale: NTS JHC No.: 362-26 Drawn By: KDG


Drawn By: KDG Checked By: BWH

Figure:

#### **GROUND WATER DIRECTION MAP**

Beatrice, Nebraska NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY





T4N

T3N



Date: 5-07-01 Scale: 1:24,000 JHC No.: 362-26 Drawn By: KDG Checked By: BWH

Figure:

#### **TOPOGRAPHIC MAP**

Beatrice, Nebraska NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY







Date: 5-07-01

Scale: NTS

JHC No.: 362-26

Drawn By: KDG

Checked By: BWH

Figure:

#### **AERIAL PHOTOGRAPH**


Beatrice, Nebraska

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY

#### **APPENDIX B**

#### PERTINENT INFORMATION

Wetlands Map
Threatened and Endangered Species
Test America Analytical Results
Beatrice Field Notes
Access Agreements
Photo Pages
Well Registrations






Scale: NTS
JHC No.: 362-26
Drawn By: KDG
Checked By: BWH
Figure:

Beatrice, Nebraska
NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY

## Eskimo Curlew (<u>Numenius borealis</u>) Historic Migration Distribution in Nebraska




- GENERAL CORRIDOR
- 1926 CONFIRMED SIGHTING

O. WINGPIBLD NOPC JAN, 1993

- PRIMARY CORRIDOR
- ▲ 1987 POSSIBLE SIGHTING

## Bald Eagle (<u>Haliaeetus leucocephalus</u>) Wintering Distribution in Nebraska





OCCASIONAL




HIGH DENSITY



MODERATE DENSITY

G. WINGFIELD NOPC JAN. 1993

# Swift Fox (<u>Vulpes velox</u>) Distribution in Nebraska




POTENTIAL HABITAT

O. WINOFIELD NOPC JAN. 1993



# Black-footed Ferret (Mustela nigripes) Distribution of Potential Habitat in Nebraska



POTENTIAL HABITAT (PRAIRIE DOG RANGE)

O. WINOPIELD NGPC JAN. 1993

HIGHEST PRAIRIE DOG DENSITY



04/04/2001

# ANALYTICAL REPORT

Bruce Haley JACOBSON HELGOTH-LINCOLN 1033 "O" Street

Job Number: 01.03069

Suite 546

Lincoln, NE 68508

Sample Number: 611058

Project ID: Beatrice FMGP #362-26

Sample ID: P-2

Project #362-26

Date Taken: 03/22/2001

Date Received: 03/24/2001

Analyte	<u>Result</u>	<u>Units</u>	Result <u>Flaq</u>	Analyst	Date <u>Analyzed</u>	<u>Method</u>	Quantitation Limit
ICP Metals Prep	D	mg/L	UD	rmp	03/28/2001		
Mercury, Cold Vapor	0.00036	mg/L		lmc	03/29/2001	EPA 245.1	0.0002
ICP Metals - SW-6010B	Complete			heh	03/30/2001	SW 6010B	
Arsenic, ICP	1.23	mg/L		heh	03/30/2001	SW 6010B	0.80
Barium, ICP	3.15	mg/L		heh	03/30/2001	SW 6010B	0.10
Cadmium, ICP	<0.20	mg/L		heh	03/30/2001	SW 6010B	0.20
Chromium, ICP	0.21	mg/L		heh	03/30/2001	SW 6010B	0.20
Lead, ICP	<1.0	mg/L		heh	03/30/2001	SW 6010B	1.0
Selenium, ICP	<1.5	mg/L		heh	03/30/2001	SW 6010B	1.5
Silver, ICP	<0.20	mg/L		heh	03/30/2001	SW 6010B	0.20
Prep, BNA - AQUEOUS	COMPLETE			kje	03/26/2001	SW 3510	
VOLATILE COMPOUNDS - 8260							
Acetone	<100	ug/L		mmk	03/31/2001	SW 8260B	100
Benzene	939	ug/L		mmk	03/31/2001	SW 8260B	2
Bromobenzene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Bromochloromethane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Bromodichloromethane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Bromoform	<10	ug/L		mmk	03/31/2001	SW 8260B	10
Bromomethane	<20	ug/L		mmk	03/31/2001	SW 8260B	20
2-Butanone (MEK)	<50	ug/L		mmk	03/31/2001	SW 8260B	50
n-Butylbenzene	8.9	ug/L		mmk	03/31/2001	SW 8260B	5.0
sec-Butylbenzene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
tert-Butylbenzene	16.2	ug/L		mmk	03/31/2001	SW 8260B	5.0
Carbon Tetrachloride	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Chlorobenzene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0

UD - Unable to digest full amount of sample due to matrix problem.

R.L. Bindert



Bruce Haley JACOBSON HELGOTH-LINCOLN 1033 "O" Street

04/04/2001

Job Number: 01.03069

Suite 546 Lincoln, NE 68508

Sample Number: 611058

Project ID: Beatrice FMGP #362-26

Sample ID: P-2

Project #362-26

Date Taken: 03/22/2001

Date Received: 03/24/2001

<u>Analyte</u>	Result	<u>Units</u>	Result <u>Flaq</u>	<u>Analyst</u>	Date <u>Analyzed</u>	<u>Method</u>	Quantitation <u>Limit</u>
Chlorodibromomethane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Chloroethane	<20	ug/L		mmk	03/31/2001	SW 8260B	20
Chloroform	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Chloromethane	<20	ug/L		mmk	03/31/2001	SW 8260B	20
2-Chlorotoluene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
4-Chlorotoluene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,2-Dibromo-3-Chloropropane	<50	ug/L		mmk	03/31/2001	SW 8260B	50
1,2-Dibromoethane (EDB)	< 50	ug/L		mmk	03/31/2001	SW 8260B	50
Dibromomethane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,2-Dichlorobenzene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,3-Dichlorobenzene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,4-Dichlorobenzene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Dichlorodifluoromethane	<15	ug/L		mmk.	03/31/2001	SW 8260B	15
1,1-Dichloroethane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,2-Dichloroethane	<5.0	ug/L		mmk.	03/31/2001	SW 8260B	5.0
1,1-Dichloroethene	<10	ug/L		mmk	03/31/2001	SW 8260B	10
cis-1,2-Dichloroethene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
trans-1,2-Dichloroethene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,2-Dichloropropane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,3-Dichloropropane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
2,2-Dichloropropane	<20	ug/L		mmk	03/31/2001	SW 8260B	20
1,1-Dichloropropene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
cis-1,3-Dichloropropene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
trans-1,3-Dichloropropene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Ethylbenzene	847	ug/L		mmk	03/31/2001	SW 8260B	5.0

R.L. Bindert



Bruce Haley JACOBSON HELGOTH-LINCOLN 1033 "O" Street 04/04/2001

Job Number: 01.03069

Suite 546 Lincoln, NE 68508

Sample Number: 611058

Project ID: Beatrice FMGP #362-26

Sample ID: P-2

Project #362-26

Date Taken: 03/22/2001

Date Received: 03/24/2001

<u>Analyte</u>	Result	<u>Units</u>	Result <u>Flaq</u>	Analyst	Date <u>Analyzed</u>	<u>Method</u>	Quantitation Limit
Acenaphthylene	<110	ug/L		ake	04/02/2001	SW 8270C	110
Anthracene	551	ug/L		ake	04/02/2001	SW 8270C	110
Benzo (a) anthracene	249 .	ug/L		ake	04/02/2001	SW 8270C	110
Benzo(b)fluoranthene	<110	ug/L		ake	04/02/2001	SW 8270C	110
Benzo(k)fluoranthene	135	ug/L		ake	04/02/2001	SW 8270C	110
Benzo(a)pyrene	252	ug/L		ake	04/02/2001	SW 8270C	110
Benzo(ghi)perylene	112	ug/L		ake	04/02/2001	SW 8270C	110
Chrysene	224	ug/L		ake	04/02/2001	SW 8270C	110
Dibenzo(a,h)anthracene	<110	ug/L		ake	04/02/2001	SW 8270C	110
Fluoranthene	648	ug/L		ake	04/02/2001	SW 8270C	110
Fluorene	610	ug/L		ake	04/02/2001	SW 8270C	110
Indeno(1,2,3-cd)pyrene	<110	ug/L		ake	04/02/2001	SW 8270C	110
2-Methylnapthalene	2,610	ug/L		ake	04/03/2001	SW 8270C	1,100
Naphthalene	11,300	ug/L		ake	04/03/2001	SW 8270C	1,100
Phenanthrene	2,400	ug/L		ake	04/03/2001	SW 8270C	1,100
Pyrene	818	ug/L		ake	04/02/2001	SW 8270C	110
Extraction Prep	COMPLETE			tls	03/27/2001	IOWA-0A2	
EXTRACTABLE HYDROCARBONS-WATER							
Total Extractable Hydrocarbons	224,000	ug/L		mpc	03/29/2001	IA-OA2/S-8015	7,600
Diesel	201,000	ug/L		mpc	03/29/2001	IA-OA2/S-8015	7,600
Gasoline	<800	ug/L		mpc	03/28/2001	IA-OA2/S-8015	800
Motor Oil	22,700	ug/L		mpc	03/29/2001	IA-OA2/S-8015	7,600
VOA Preservation pH	<2	units		dmd	03/30/2001	SW 9041A	

R.L. Bindert



Bruce Haley JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546

Job Number: 01.03069

04/04/2001

Lincoln, NE 68508

Sample Number: 611058

Project ID: Beatrice FMGP #362-26

Sample ID: P-2

Project #362-26

Date Taken: 03/22/2001

Date Received: 03/24/2001

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	Result Flag	Analyst	Date <u>Analyzed</u>	<u>Method</u>	Quantitation <u>Limit</u>
Hexachlorobutadiene	<25	ug/L		mmk	03/31/2001	SW 8260B	25
Isopropylbenzene	30.8	ug/L		mmk	03/31/2001	SW 8260B	5.0
p-Isopropyltoluene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Methylene Chloride	<25	ug/L		mmk	03/31/2001	SW 8260B	25
MTBE	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Naphthalene	7,250	ug/L		mmk	04/02/2001	SW 8260B	120
n-Propylbenzene	14.6	ug/L		mmk	03/31/2001	SW 8260B	5.0
Styrene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,1,1,2-Tetrachloroethane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,1,2,2-Tetrachloroethane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Tetrachloroethene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Toluene	14.9	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,2,3-Trichlorobenzene	<25	ug/L		mmk	03/31/2001	SW 8260B	25
1,2,4-Trichlorobenzene	<25	ug/L		mmk	03/31/2001	SW 8260B	25
1,1,1-Trichloroethane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,1,2-Trichloroethane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Trichloroethylene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Trichlorofluoromethane	<20	ug/L		mmk	03/31/2001	SW 8260B	20
1,2,3-Trichloropropane	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,2,4-Trimethylbenzene	179	ug/L		mmk	03/31/2001	SW 8260B	5.0
1,3,5-Trimethylbenzene	148	ug/L		mmk	03/31/2001	SW 8260B	5.0
Vinyl Chloride	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Xylenes, Total	379	ug/L		mmk	03/31/2001	SW 8260B	15
BNA - 8270 AQUEOUS							
Acenaphthene	1,960	ug/L		ake	04/03/2001	SW 8270C	1,100

R.L. Bindert



Bruce Haley JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546

04/04/2001

Job Number: 01.03069

Sample Number: 611059

Project ID: Beatrice FMGP #362-26

Sample ID: P-2 5'

Lincoln, NE 68508

Project #362-26

Date Taken: 03/22/2001

Date Received: 03/24/2001

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	Result <u>Flaq</u>	<u>Analyst</u>	Date Analyzed	<u>Method</u>	Quantitation <u>Limit</u>
% Solids	77.31	ŧ		sas	03/28/2001	SM 2540 G	1
Prep, BNA - NONAQUEOUS	COMPLETE			kje	03/26/2001	SW 3540	
VOLATILES 8260 NON-AQUEOUS			I				
Acetone	<50	ug/kg		mmk	03/28/2001	SW 8260B	50
Benzene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Bromobenzene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Bromochloromethane	<5.0	ug/kg		mm <b>k</b>	03/28/2001	SW 8260B	5.0
Bromodichloromethane	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Bromoform	<10	ug/kg		mmk	03/28/2001	SW 8260B	10
Bromomethane	<20	ug/kg		mmk	03/28/2001	SW 8260B	20
n-Butylbenzene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
sec-Butylbenzene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
tert-Butylbenzene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Carbon tetrachloride	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Chlorobenzene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Chlorodibromomethane	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Chloroethane	<20	ug/kg		mmk	03/28/2001	SW 8260B	20
Chloroform	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Chloromethane	<20	ug/kg		mmk	03/28/2001	SW 8260B	20
2-Chlorotoluene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
4-Chlorotoluene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
1,2-Dibromo-3-chloropropane	<50	ug/kg		mmk	03/28/2001	SW 8260B	50
1,2-Dibromoethane	<50	ug/kg		mmk	03/28/2001	SW 8260B	50
Dibromomethane	<5.0	ug/kg		mmk.	03/28/2001	SW 8260B	5.0
1,2-Dichlorobenzene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0

I - Internal Standard outside of QC limits due to sample matrix.

R.L. Bindert



Bruce Haley JACOBSON HELGOTH-LINCOLN 1033 "O" Street

Job Number: 01.03069

04/04/2001

Suite 546

Lincoln, NE 68508

Sample Number: 611059

Project ID: Beatrice FMGP #362-26

Sample ID: P-2 5' Project #362-26

Date Taken: 03/22/2001

Date Received: 03/24/2001

<u>Analyte</u>	<u>Result</u>		esult <u>Flaq Analyst</u>	Date <u>Analyzed</u>	<u>Method</u>	Quantitation <u>Limit</u>
1,3-Dichlorobenzene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
1,4-Dichlorobenzene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
Dichlorodifluoromethane	<15	ug/kg	mmk	03/28/2001	SW 8260B	15
1,1-Dichloroethane	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
1,2-Dichloroethane	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
1,1-Dichloroethene	<5.0	ug/kg	mmk.	03/28/2001	SW 8260B	5.0
cis-1,2-Dichloroethene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
trans-1,2-Dichloroethene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
1,2-Dichloropropane	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
1,3-Dichloropropane	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
2,2-Dichloropropane	<20	ug/kg	mmk	03/28/2001	SW 8260B	20
1,1-Dichloropropene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
cis-1,3-Dichloropropene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
trans-1,3-Dichloropropene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
Ethylbenzene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
Hexachlorobutadiene	<25	ug/kg	mmk	03/28/2001	SW 8260B	25
Isopropylbenzene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
p-Isopropyltoluene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
Methylene chloride	<50	ug/kg	mmk	03/28/2001	SW 8260B	50
MTBE	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
Naphthalene	<25	ug/kg	mmk	03/28/2001	SW 8260B	25
n-Propylbenzene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
Styrene	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
1,1,1,2-Tetrachloroethane	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0
1,1,2,2-Tetrachloroethane	<5.0	ug/kg	mmk	03/28/2001	SW 8260B	5.0

R.L. Bindert



Bruce Haley JACOBSON HĒLGOTH-LINCOLN 1033 "O" Street Suite 546

Job Number: 01.03069

04/04/2001

Lincoln, NE 68508

Sample Number: 611059

Project ID: Beatrice FMGP #362-26

Sample ID: P-2 5' Project #362-26

Date Taken: 03/22/2001 Date Received: 03/24/2001

			Result		Date		Quantitation
Analyte	Result	<u>Units</u>	Flag	<u>Analyst</u>	<u>Analyzed</u>	<u>Method</u>	Limit
		,,			( (		
Tetrachloroethene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Toluene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
1,2,3-Trichlorobenzene	<25	ug/kg		mmk	03/28/2001	SW 8260B	25
1,2,4-Trichlorobenzene	<25	ug/kg		mmk	03/28/2001	SW 8260B	25
1,1,1-Trichloroethane	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
1,1,2-Trichloroethane	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Trichloroethylene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Trichlorofluoromethane	<20	ug/kg		mmk	03/28/2001	SW 8260B	20
1,2,3-Trichloropropane	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
1,2,4-Trimethylbenzene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
1,3,5-Trimethylbenzene	<5.0	ug/kg		mmk	03/28/2001	SW 8260B	5.0
Vinyl Chloride	<15	ug/kg		mmk	03/28/2001	SW 8260B	15
Xylenes, Total	<15	ug/kg		mmk	03/28/2001	SW 8260B	15
BNA - 8270 NONAQUEOUS							
Acenaphthene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41 .
Acenaphthylene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41
Anthracene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41
Benzo (a) anthracene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41
Benzo(b) fluoranthene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41
Benzo(k) fluoranthene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41
Benzo(a)pyrene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41
Benzo(ghi)perylene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41
Chrysene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41
Dibenzo(a,h)anthracene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41
Fluoranthene	<0.41	mg/kg		ake	03/28/2001	SW 8270C	0.41

R.L. Bindert



Bruce Haley

04/04/2001

JACOBSON HELGOTH-LINCOLN 1033 "O" Street

Job Number: 01.03069

Suite 546

Lincoln, NE 68508

Sample Number: 611059

Project ID: Beatrice FMGP #362-26

Sample ID: P-2 5' Project #362-26

Date Taken: 03/22/2001

Date Received: 03/24/2001

<u>Analyte</u>	<u>Result</u>		sult <u>laq Analyst</u>	Date <u>Analyzed</u>	<u>Method</u>	Quantitation Limit
Fluorene	<0.41	mg/kg	ake	03/28/2001	SW 8270C	0.41
Indeno(1,2,3-cd)pyrene	<0.41	mg/kg	ake	03/28/2001	SW 8270C	0.41
2-Methylnaphthalene	<0.41	mg/kg	ake	03/28/2001	SW 8270C	0.41
Naphthalene	<0.41	mg/kg	ake	03/28/2001	SW 8270C	0.41
Phenanthrene	<0.41	mg/kg	ake	03/28/2001	SW 8270C	0.41
Pyrene	<0.41	mg/kg	ake	03/28/2001	SW 8270C	0.41

R.L. Bindert Operations Manager



Bruce Haley JACOBSON HELGOTH-LINCOLN 1033 "O" Street

Suite 546

Lincoln, NE 68508

04/04/2001

Job Number: 01.03069

Sample Number: 611060

Project ID: Beatrice FMGP #362-26

Sample ID: Trip Blank Project #362-26

Date Taken:

Date Received: 03/24/2001

<u>Analyte</u>	Result	<u>Units</u>	Result <u>Flaq</u>	<u>Analyst</u>	Date <u>Analyzed</u>	<u>Method</u>	Quantitation <u>Limit</u>
VOLATILE COMPOUNDS - 8260							
Acetone	<20	ug/L		mmk	03/31/2001	SW 8260B	20
Benzene	<0.5	ug/L		mmk	03/31/2001	SW 8260B	0.5
Bromobenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Bromochloromethane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Bromodichloromethane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Bromoform	<2.0	ug/L		mmk	03/31/2001	SW 8260B	2.0
Bromomethane	<4.0	ug/L		mmk	03/31/2001	SW 8260B	4.0
2-Butanone (MEK)	<10	ug/L		mmk	03/31/2001	SW 8260B	10
n-Butylbenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
sec-Butylbenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
tert-Butylbenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Carbon Tetrachloride	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Chlorobenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Chlorodibromomethane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Chloroethane	<4.0	ug/L		mmk	03/31/2001	SW 8260B	4.0
Chloroform	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Chloromethane	<4.0	ug/L		mmk.	03/31/2001	SW 8260B	4.0
2-Chlorotoluene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
4-Chlorotoluene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
1,2-Dibromo-3-Chloropropane	<10	ug/L		mmk	03/31/2001	SW 8260B	10
1,2-Dibromoethane (EDB)	<10	ug/L		mmk	03/31/2001	SW 8260B	10
Dibromomethane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
1,2-Dichlorobenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
1,3-Dichlorobenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0

R.L. Bindert



Page 10 of 37

# ANALYTICAL REPORT

Bruce Haley JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546

Job Number: 01.03069

04/04/2001

Lincoln, NE 68508

Sample Number: 611060

Project ID: Beatrice FMGP #362-26

Sample ID: Trip Blank Project #362-26

Date Taken:

Date Received: 03/24/2001

Analyte	Result	Units	Result Flag	Analyst	Date <u>Analyzed</u>	Method	QuantitationLimit
							2220
1,4-Dichlorobenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Dichlorodifluoromethane	<3.0	ug/L		mmk	03/31/2001	SW 8260B	3.0
1,1-Dichloroethane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
1,2-Dichloroethane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
1,1-Dichloroethene	<2.0	ug/L		mmk	03/31/2001	SW 8260B	2.0
cis-1,2-Dichloroethene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
trans-1,2-Dichloroethene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
1,2-Dichloropropane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
1,3-Dichloropropane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1,0
2,2-Dichloropropane	<4.0	ug/L		mmk	03/31/2001	SW 8260B	4.0
1,1-Dichloropropene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
cis-1,3-Dichloropropene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
trans-1,3-Dichloropropene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Ethylbenzene	<1.0	ug/L		mm]k	03/31/2001	SW 8260B	1.0
Hexachlorobutadiene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
Isopropylbenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
p-Isopropyltoluene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Methylene Chloride	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
MTBE	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Naphthalene	<5.0	ug/L		mmk	03/31/2001	SW 8260B	5.0
n-Propylbenzene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Styrene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0
Tetrachloroethene	<1.0	ug/L		mmk	03/31/2001	SW 8260B	1.0

R.L. Bindert



Page 11 of 37

# ANALYTICAL REPORT

Bruce Haley JACOBSON HELGOTH-LINCOLN 1033 "O" Street

Suite 546

Lincoln, NE 68508

04/04/2001

Job Number: 01.03069

Sample Number: 611060

Project ID: Beatrice FMGP #362-26

Sample ID: Trip Blank Project #362-26

Date Taken:

Date Received: 03/24/2001

<u>Analyte</u>	<u>Result</u>	Resul <u>Units Flaq</u>	_	Date <u>Analyzed</u>	<u>Method</u>	Quantitation Limit
Toluene	<1.0	ug/L	mmk	03/31/2001	SW 8260B	1.0
1,2,3-Trichlorobenzene	<5.0	ug/L	mmk	03/31/2001	SW 8260B	5.0
1,2,4-Trichlorobenzene	<5.0	ug/L	mmk	03/31/2001	SW 8260B	5.0
1,1,1-Trichloroethane	<1.0	ug/L	mmk	03/31/2001	SW 8260B	1.0
1,1,2-Trichloroethane	<1.0	ug/L	mmk	03/31/2001	SW 8260B	1.0
Trichloroethylene	<1.0	ug/L	mmk	03/31/2001	SW 8260B	1.0
Trichlorofluoromethane	<4.0	ug/L	mmk	03/31/2001	SW 8260B	4.0
1,2,3-Trichloropropane	<1.0	ug/L	mmk	03/31/2001	SW 8260B	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	mmk	03/31/2001	SW 8260B	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	mmk	03/31/2001	SW 8260B	1.0
Vinyl Chloride	<1.0	ug/L	mmk	03/31/2001	SW 8260B	1.0
Xylenes, Total	<3.0	ug/L	mmk	03/31/2001	SW 8260B	3.0

R.L. Bindert



Page 12 of 37

# **QUALITY CONTROL REPORT**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley 04/04/2001

Job Number: 01.03069

Enclosed is the Quality Control data for the following samples submitted to TestAmerica, Inc. - Cedar Falls for analysis:

Sample	Sample Description	Date	Date
Number		Taken	Received
611058 611059 611060	P-2 Project #362-26 P-2 5' Project #362-26 Trip Blank Project #362-26	03/22/2001 03/22/2001	03/24/2001 03/24/2001 03/24/2001

This Quality Control report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

Iowa Laboratory Certification number - 7



Page 13 of 37

# **QUALITY CONTROL REPORT**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

					Date	Prep Batch	Run Batch		Quantitation
			Result	Units	Analyzed	Number	Number	Analysis Method	Limit
611058	P-2	Project #362-26		03	/22/2001				
ICP Metal	ls Prep		D	mg/L	03/28/2001	2340			
Mercury, C	Cold Vapor	r	0.00036	mg/L	03/29/2001		1914	EPA 245.1	0.00020
ICP Metal	ls - SW-60	010B	Complete		03/30/2001		3068	SW 6010B	
Arsenic,	ICP		1.23	mg/L	03/30/2001	2340	3448	SW 6010B	0.80
Barium, 1	ICP		3.15	mg/L	03/30/2001	2340	3482	SW 6010B	0.10
Cadmium,	ICP		<0.20	mg/L	03/30/2001	2340	3494	SW 6010B	0.20
Chromium,	, ICP		0.21	mg/L	03/30/2001	2340	3494	SW 6010B	0.20
Lead, ICE	P		<1.0	mg/L	03/30/2001	2340	3464	SW 6010B	1.0
Selenium,	, ICP		<1.5	mg/L	03/30/2001	2340	3442	SW 6010B	1.5
Silver, I	ICP		<0.20	mg/L	03/30/2001	2340	3490	SW 6010B	0.20
Prep, BNA	A - AQUEOU	JS	COMPLETE		03/26/2001	798		SW 3510	
VOLATILE	COMPOUNDS	S - 8260							
Acetone			<100	ug/L	03/31/2001		1683	SW 8260B	100
Benzene			939	ug/L	03/31/2001		1683	SW 8260B	2
Bromobenz	zene		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Bromochlo	oromethane	<b>:</b>	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Bromodich	nlorometha	ine	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Bromoform	n		<10	ug/L	03/31/2001		1683	SW 8260B	10
Bromometh	nane		<20	ug/L	03/31/2001		1683	SW 8260B	20
2-Butanon	ne (MEK)		<50	ug/L	03/31/2001		1683	SW 8260B	50
n-Butylbe	enzene		8.9	ug/L	03/31/2001		1683	SW 8260B	5.0
sec-Butyl	lbenzene		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
tert-Buty	lbenzene		16.2	ug/L	03/31/2001		1683	SW 8260B	5.0
Carbon Te	etrachlori	.de	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Chloroben	nzene		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Chlorodib	romometha	ine	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Chloroeth	nane		<20	ug/L	03/31/2001		1683	SW 8260B	20
Chlorofor	rm .		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Chloromet	hane		<20	ug/L	03/31/2001		1683	SW 8260B	20



Page 14 of 37

# **QUALITY CONTROL REPORT**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

	Result	Units	Date Analyzed	Prep Batch Number	Run Batch Number	Analysis Method	Quantitation Limit
611058 P-2 Project #362-2			03/22/2001	Trainb01	rumber.	Talary Data Tildenou	
611058 P-2 Project #362-2	0	,	73/22/2001				
2-Chlorotoluene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
4-Chlorotoluene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,2-Dibromo-3-Chloropropane	<50	ug/L	03/31/2001		1683	SW 8260B	50
1,2-Dibromoethane (EDB)	<50	ug/L	03/31/2001		1683	SW 8260B	50
Dibromomethane	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,2-Dichlorobenzene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,3-Dichlorobenzene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,4-Dichlorobenzene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Dichlorodifluoromethane	<15	ug/L	03/31/2001		1683	SW 8260B	15
1,1-Dichloroethane	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,2-Dichloroethane	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,1-Dichloroethene	<10	ug/L	03/31/2001		1683	SW 8260B	10
cis-1,2-Dichloroethene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
trans-1,2-Dichloroethene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,2-Dichloropropane	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,3-Dichloropropane	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
2,2-Dichloropropane	<20	ug/L	03/31/2001		1683	SW 8260B	20
1,1-Dichloropropene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
cis-1,3-Dichloropropene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
trans-1,3-Dichloropropene	<5.0	ug/L	03/31/2001		1683	.SW 8260B	5.0
Ethylbenzene	847	ug/L	03/31/2001		1683	SW 8260B	5.0
Hexachlorobutadiene	<25	ug/L	03/31/2001		1683	SW 8260B	25
Isopropylbenzene	30.8	ug/L	03/31/2001		1683	SW 8260B	5.0
p-Isopropyltoluene	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Methylene Chloride	<25	ug/L	03/31/2001		1683	SW 8260B	25
MTBE	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Naphthalene	7,250	ug/L	04/02/2001		1692	SW 8260B	120
n-Propylbenzene	14.6	ug/L	03/31/2001		1683	SW 8260B	5.0
Styrene	<5.0	ug/L	03/31/2001	•	1683	SW 8260B	5.0



Page 15 of 37

# QUALITY CONTROL REPORT

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

		Result	Units	Date Analyzed	Prep Batch Number	Run Batch Number	Analysis Method	Quantitation Limit
611058 P-2 Proje	ect #362-26		0	3/22/2001				
1,1,1,2-Tetrachloroetha	ine	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,1,2,2-Tetrachloroetha	ine	<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Tetrachloroethene		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Toluene		14.9	ug/L	03/31/2001		1683	SW 8260B	5.0
1,2,3-Trichlorobenzene		<25	ug/L	03/31/2001		1683	SW 8260B	25
1,2,4-Trichlorobenzene		<25	ug/L	03/31/2001		1683	SW 8260B	25
1,1,1-Trichloroethane		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,1,2-Trichloroethane		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Trichloroethylene		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Trichlorofluoromethane		<20	ug/L	03/31/2001		1683	SW 8260B	20
1,2,3-Trichloropropane		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
1,2,4-Trimethylbenzene		179	ug/L	03/31/2001		1683	SW 8260B	5.0
1,3,5-Trimethylbenzene		148	ug/L	03/31/2001		1683	SW 8260B	5.0
Vinyl Chloride		<5.0	ug/L	03/31/2001		1683	SW 8260B	5.0
Xylenes, Total		379	ug/L	03/31/2001		1683	SW 8260B	15
Dibromofluoromethane(su	rr)	100.0	¥	03/31/2001		1683	SW 8260B	5
Toluene-d8(surr)		97.0	*	03/31/2001		1683	SW 8260B	5
4-Bromofluorobenzene(su	ırr)	98.0	*	03/31/2001		1683	SW 8260B	5
BNA - 8270 AQUEOUS								
Acenaphthene		1,960	ug/L	04/03/2001	798	1348	SW 8270C	1,100
Acenaphthylene		<110	ug/L	04/02/2001	798	1347	SW 8270C	110
Anthracene		551	ug/L	04/02/2001	798	1347	SW 8270C	110
Benzo (a) anthracene		249	ug/L	04/02/2001	798	1347	SW 8270C	110
Benzo(b)fluoranthene		<110	ug/L	04/02/2001	798	1347	SW 8270C	110
Benzo(k)fluoranthene		135	ug/L	04/02/2001	798	1347	SW 8270C	110
Benzo(a)pyrene		252	ug/L	04/02/2001	798	1347	SW 8270C	110
Benzo(ghi)perylene		112	ug/L	04/02/2001	798	1347	SW 8270C	110
Chrysene		224	. ug/L	04/02/2001	798	1.347	SW 8270C	.110
Dibenzo (a, h) anthracene		<110	ug/L	04/02/2001	798	1347	SW 8270C	110



Page 16 of 37

# **QUALITY CONTROL REPORT**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

			Date	Prep Batch	Run Batch		Quantitation
	Result	Units	Analyzed	Number	Number	Analysis Method	Limit
611058 P-2 Projec	t #362-26		03/22/2001				
Fluoranthene	648	ug/L	04/02/2001	798	1347	SW 8270C	110
Fluorene	610	ug/L	04/02/2001	798	1347	SW 8270C	110
Indeno(1,2,3-cd)pyrene	<110	ug/L	04/02/2001	798	1347	SW 8270C	110
2-Methylnapthalene	2,610	ug/L	04/03/2001	798	1348	SW 8270C	1,100
Naphthalene	11,300	ug/L	04/03/2001	798	1348	SW 8270C	1,100
Phenanthrene	2,400	ug/L	04/03/2001	798	1348	SW 8270C	1,100
Pyrene	818	ug/L	04/02/2001	798	1347	SW 8270C	110
Nitrobenzene-d5 (Surr.)	98.9	¥	04/02/2001	798	1347	SW 8270C	1
2-Fluorobiphenyl (Surr.)	92.2	*	04/02/2001	798	1347	SW 8270C	1
Terphenyl-d14 (Surr.)	58.4	*	04/02/2001	798	1347	SW 8270C	1
Extraction Prep	COMPLETE		03/27/2001	1639		IOWA-0A2	
EXTRACTABLE HYDROCARBONS	-WATER						
Total Extractable Hydroca	arbons 224,000	ug/L	03/29/2001	1639	2778	IA-OA2/S-8015	7,600
Diesel	201,000	ug/L	03/29/2001	1639	2778	IA-0A2/S-8015	7,600
Gasoline	<800	ug/L	03/28/2001	1639	2776	IA-OA2/S-8015	800
Motor Oil	22,700	ug/L	03/29/2001	1639	2778	IA-OA2/S-8015	7,600
N-Octacosane (Surr.)	783	*	03/28/2001	1639	2776	IA-OA2/S-8015	100
VOA Preservation pH	<2	units	03/30/2001		176	SW 9041A	
611059 P-2 5' Projec	ct #362-26		03/22/2001				
% Solids	77.31	*	03/28/2001		631	SM 2540 G	1
Prep, BNA - NONAQUEOUS	COMPLETE		03/26/2001	518		SW 3540	
VOLATILES 8260 NON-AQUEOU	JS						
Acetone	<50	ug/kg	03/28/2001		966	SW 8260B	50
Benzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Bromobenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Bromochloromethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Bromodichloromethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0



Page 17 of 37

# **QUALITY CONTROL REPORT**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

				Prep	Run		
			Date	Batch	Batch		Quantitation
	Result	Units	Analyzed	Number	Number	Analysis Method	Limit
611059 P-2 5' Project #362	2-26	(	03/22/2001				
Bromoform	<10	(1	02/08/2002		0.55	011 00 CAB	• •
		ug/kg	03/28/2001		966	SW 8260B	10
Bromomethane	<20	ug/kg	03/28/2001		966	SW 8260B	20
n-Butylbenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
sec-Butylbenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
tert-Butylbenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Carbon tetrachloride	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Chlorobenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Chlorodibromomethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Chloroethane	<20	ug/kg	03/28/2001		966	SW 8260B	20
Chloroform	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Chloromethane	<20	ug/kg	03/28/2001		966	SW 8260B	20
2-Chlorotoluene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
4-Chlorotoluene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,2-Dibromo-3-chloropropane	<50	ug/kg	03/28/2001		966	SW 8260B	50
1,2-Dibromoethane	<50	ug/kg	03/28/2001		966	SW 8260B	50
Dibromomethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,2-Dichlorobenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,3-Dichlorobenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,4-Dichlorobenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Dichlorodifluoromethane	<15	ug/kg	03/28/2001		. 966	SW 8260B	15
1,1-Dichloroethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,2-Dichloroethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1.1-Dichloroethene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
cis-1,2-Dichloroethene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
trans-1,2-Dichloroethene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,2-Dichloropropane	<5.0	ug/kg	03/28/2001		966	SW 8260B	
1,3-Dichloropropane	<5.0	ug/kg ug/kq	03/28/2001		966	SW 8260B	5.0
2,2-Dichloropropane	<20	ug/kg ug/kg	03/28/2001				5.0
• •					966	SW 8260B	20
1,1-Dichloropropene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0



Page 18 of 37

# **QUALITY CONTROL REPORT**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

				Prep	Run		
			Date	Batch	Batch		Quantitation
	Result	Units	Analyzed	Number	Number	Analysis Method	Limit
611059 P-2 5' Project #36	2-26	(	03/22/2001				
cis-1,3-Dichloropropene	<5.0	πā∖kā	03/28/2001		966	SW 8260B	5.0
trans-1,3-Dichloropropene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Ethylbenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Hexachlorobutadiene	<25	ug/kg	03/28/2001		966	SW 8260B	25
Isopropylbenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
p-Isopropyltoluene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Methylene chloride	<50	ug/kg	03/28/2001		966	SW 8260B	50
MTBE	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Naphthalene	<25	ug/kg	03/28/2001		966	SW 8260B	25
n-Propylbenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Styrene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,1,1,2-Tetrachloroethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,1,2,2-Tetrachloroethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Tetrachloroethene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Toluene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,2,3-Trichlorobenzene	<25	ug/kg	03/28/2001		966	SW 8260B	25
1,2,4-Trichlorobenzene	<25	ug/kg	03/28/2001		966	SW 8260B	25
1,1,1-Trichloroethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,1,2-Trichloroethane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Trichloroethylene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Trichlorofluoromethane	<20	ug/kg	03/28/2001		966	SW 8260B	20
1,2,3-Trichloropropane	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,2,4-Trimethylbenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
1,3,5-Trimethylbenzene	<5.0	ug/kg	03/28/2001		966	SW 8260B	5.0
Vinyl Chloride	<15	ug/kg	03/28/2001		966	SW 8260B	15
Xylenes, Total	<15	ug/kg	03/28/2001		966	SW 8260B	15
4-Bromofluorobenzene(surr)	97.9	*	03/28/2001		966	SW 8260B	1
Dibromofluoromethane(surr)	102.0	*	03/28/2001		966	SW 8260B	1
Toluene-d8 (surr)	95·. 7	*	03/28/2001		966	SW 8260B	1
		-	,,		- • •	J. J	-



Page 19 of 37

# **QUALITY CONTROL REPORT**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

				Prep	Run		
			Date	Batch	Batch		Quantitation
	Result	Units	Analyzed	Number	Number	Analysis Method	Limit
611059 P-2 5' Project #36	52-26	C	3/22/2001				
BNA - 8270 NONAQUEOUS							
Acenaphthene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Acenaphthylene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Anthracene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Benzo(a)anthracene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Benzo(b)fluoranthene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Benzo(k)fluoranthene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Benzo(a)pyrene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Benzo(ghi)perylene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Chrysene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Dibenzo(a,h)anthracene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Fluoranthene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Fluorene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Indeno(1,2,3-cd)pyrene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
2-Methylnaphthalene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Naphthalene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Phenanthrene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Pyrene	<0.41	mg/kg	03/28/2001	518	933	SW 8270C	0.41
Nitrobenzene-d5 (Surr.)	64.7	ક	03/28/2001	518	933	SW 8270C	1
2-Fluorobiphenyl (Surr.)	69.9	¥	03/28/2001	518	933	SW 827.0C	1
Terphenyl-d14 (Surr.)	88.1	*	03/28/2001	518	933	SW 8270C	1
611060 Trip Blank Project	#362-26						
VOLATILE COMPOUNDS - 8260							
Acetone	<20	ug/L	03/31/2001		1683	SW 8260B	20
Benzene	<0.5	ug/L	03/31/2001		1683	SW 8260B	0.5
Bromobenzene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
Bromochloromethane	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0



Page 20 of 37

# QUALITY CONTROL REPORT

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

	Result	Units	Date Analyzed	Prep Batch Number	Run Batch Number	Analysis Method	Quantitation Limit
611060 Trip Blank Project	#362-26						
Bromodichloromethane	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
Bromoform	<2.0	ug/L	03/31/2001		1683	SW 8260B	2.0
Bromomethane	<4.0	ug/L	03/31/2001		1683	SW 8260B	4.0
2-Butanone (MEK)	<10	ug/L	03/31/2001		1683	SW 8260B	10
n-Butylbenzene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
sec-Butylbenzene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
tert-Butylbenzene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
Carbon Tetrachloride	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
Chlorobenzene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
Chlorodibromomethane	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
Chloroethane	<4.0	ug/L	03/31/2001		1683	SW 8260B	4.0
Chloroform	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
Chloromethane	<4.0	ug/L	03/31/2001		1683	SW 8260B	4.0
2-Chlorotoluene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
4-Chlorotoluene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
1,2-Dibromo-3-Chloropropane	<10	ug/L	03/31/2001		1683	SW 8260B	10
1,2-Dibromoethane (EDB)	<10	ug/L	03/31/2001		1683	SW 8260B	10
Dibromomethane	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
1,2-Dichlorobenzene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
1,3-Dichlorobenzene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
1,4-Dichlorobenzene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
Dichlorodifluoromethane	<3.0	ug/L	03/31/2001		1683	SW 8260B	3.0
1,1-Dichloroethane	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
1,2-Dichloroethane	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
1,1-Dichloroethene	<2.0	ug/L	03/31/2001		1683	SW 8260B	2.0
cis-1,2-Dichloroethene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
trans-1,2-Dichloroethene	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
1,2-Dichloropropane	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0
1,3-Dichloropropane	<1.0	ug/L	03/31/2001		1683	SW 8260B	1.0



Page 21 of 37

# **QUALITY CONTROL REPORT**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

	Result	Units	Pro Date Bato Analyzed Numl	ch Batch	Analysis Method	Quantitation Limit
611060 Trip Blank Projec	et #362-26					
2,2-Dichloropropane	<4.0	ug/L	03/31/2001	1683	SW 8260B	4.0
1,1-Dichloropropene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
cis-1,3-Dichloropropene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
trans-1,3-Dichloropropene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Ethylbenzene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Hexachlorobutadiene	<5.0	ug/L	03/31/2001	1683	SW 8260B	5.0
Isopropylbenzene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
p-Isopropyltoluene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Methylene Chloride	<5.0	ug/L	03/31/2001	1683	SW 8260B	5.0
MTBE	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Naphthalene	<5.0	ug/L	03/31/2001	1683	SW 8260B	5.0
n-Propylbenzene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Styrene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
1,1,1,2-Tetrachloroethane	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
1,1,2,2-Tetrachloroethane	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Tetrachloroethene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Toluene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
1,2,3-Trichlorobenzene	<5.0	ug/L	03/31/2001	1683	SW 8260B	5.0
1,2,4-Trichlorobenzene	<5.0	ug/L	03/31/2001	1683	SW 8260B	5.0
1,1,1-Trichloroethane	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
1,1,2-Trichloroethane	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Trichloroethylene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Trichlorofluoromethane	<4.0	ug/L	03/31/2001	1683	SW 8260B	4.0
1,2,3-Trichloropropane	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
1,2,4-Trimethylbenzene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
1,3,5-Trimethylbenzene	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Vinyl Chloride	<1.0	ug/L	03/31/2001	1683	SW 8260B	1.0
Xylenes, Total	<3.0	ug/L	03/31/2001	1683	SW 8260B	3.0
${\tt Dibromofluoromethane}({\tt surr})\;.$	100.0	*	03/31/2001	1683	SW 8260B	1



Page 22 of 37

# **QUALITY CONTROL REPORT**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

04/04/2001

Job Number: 01.03069

	Result	Units	Date Analyzed	Prep Batch Number	Run Batch Number	Analysis Method	Quantitation Limit
611060 Trip Blank Project #36	2-26						
Toluene-d8(surr) 4-Bromofluorobenzene(surr)	96.0 97.0	*	03/31/2001 03/31/2001		1683 1683	SW 8260B SW 8260B	1

# Test/America

Page 23 of 37

# QUALITY CONTROL REPORT CONTINUING CALIBRATION VERIFICATION

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run	CCV		
	Batch	Batch	True	Concentration	Percent
Analyte	Number	Number	Concentration	Found	Recovery
Mercury,Cold Vapor		1914	1.00	1.01	101.0
Mercury,Cold Vapor		1914	1.00	0.99	99.0
Mercury,Cold Vapor		1914	1.00	1.00	100.0
ICP Metals - SW-6010B		3068		Complete	
ICP Metals - SW-6010B		3068		Complete	
Arsenic, ICP		3448	5.00	4.78	95.6
Arsenic, ICP		3448	5.00	4.72	94.4
Barium, ICP		3482	5.00	4.94	98.8
Barium, ICP		3482	5.00	4.80	96.0
Cadmium, ICP		3494	5.00	5.02	100.4
Cadmium, ICP		3494	5.00	4.98	99.6
Chromium, ICP		3494	5.00	4.92	98.4
Chromium, ICP		3494	5.00	4.89	97.8
Lead, ICP		3464	5.00	4.99	99.8
Lead, ICP		3464	5.00	4.96	99.2
Selenium, ICP		3442	5.00	4.90	98.0
Selenium, ICP		3442	5.00	4.72	94.4
Silver, ICP		3490	1.00	0.99	99.0
Silver, ICP		3490	1.00	0.98	98.0
VOLATILE COMPOUNDS - 8260					
Benzene		1683	50	49	98.0
Bromoform		1683	50.0	51.2	102.4
Chlorobenzene		1683	50	49	98.0
1,1-Dichloroethane		1683	50.0	48.7	97.4
1,1-Dichloroethene		1683	50	51	102.0
1,2-Dichloropropane		1683	50.0	49.7	99.4
Ethylbenzene		1683	50	50	100.0
MTBE		1683	50.0	45.0	90.0
1,1,2,2-Tetrachloroethane		1683	50.0	48.2	96.4
Toluene		1683	50	49	98.0
Trichloroethylene		1683	50	50	100.0
1,2,4-Trimethylbenzene		1683	50	50	100.0
1,2,4-111meen,10meene			- <b>-</b>	- •	

CCV - Continuing Calibration Verification

# Test/America

Page 24 of 37

# QUALITY CONTROL REPORT CONTINUING CALIBRATION VERIFICATION

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

Analyte Number Number Concentration Found Recovery (1,3,5-Trimethylbenzene 1683 50 50 100.00 (1,3,5-Trimethylbenzene 1683 50.00 48.8 97.6 (1,3,5-Trimethylbenzene 1683 150 149 99.3 (1,3,5-Trimethylbenzene 1683 150 149 99.3 (1,3,5-Trimethylbenzene (surr) 1683 100 98.0 98.0 98.0 (1,3,5-Trimethylbenzene 1966 150.0 150.0 100.0 (1,2,2-Trimethylbenzene 1966 150.0 150.0 100.0 (1,2,2-Trimethylbenzene 1966 150.0 150.0 100.0 (1,2,2-Trimethylbenzene 1966 150.0 150.0 100.0 (1,2,3,5-Trimethylbenzene 1966 150.0 150.0 100.0 (1,3,5-Trimethylbenzene 1966 150.0 150.0 112.0 (1,3,5-Trimethylbenzene (surr) 1966 150.0 150.0 150.0 150.0 150.0 (1,3,5-Trimethylbenzene (surr) 1966 150.0 150.0 150.0 150.0 150.0 (1,3,5-Trimethylbenzene (surr) 1966 150.0 15		Prep	Run	CCV		
1,3,5-Trimethylbenzene			Batch	True	Concentration	Percent
Vinyl Chloride         1683         50.0         48.8         97.6           Kylenes, Total         1683         150         149         99.3           Dibromofluoromethane (surr)         1683         100         98.0         98.0           Toluene-d8 (surr)         1683         100         98.0         98.0           Toluene-d8 (surr)         1683         100         98.0         98.0           VOLATILE COMPOUNDS - 8260         80.0         50.0         101.0         101.0           VOLATILES 8260 NON-AQUEOUS         80.0         57.3         114.6         11.0         100.0           Benzene         966         50.0         57.3         114.6         116.4         1,1-Dichloroethane         966         50.0         58.2         116.4         1,1-Dichloroethane         966         50.0         46.5         93.0         1,1-Dichloroethane         966         50.0         47.2         94.4         1,2-Dichloropropane         966         50.0         47.2         94.4         1,2-Dichloropropane         966         50.0         50.6         101.2         101.2         11.2         101.2         101.2         101.2         101.2         101.2         101.2         101.2         101.2         101	Analyte	Number	Number	Concentration	Found	Recovery
Xylenes, Total       1683       150       149       99.3         Dibromofluoromethane (surr)       1683       100       98.0       98.0         Toluene-d8 (surr)       1683       100       98.0       98.0         4-Bromofluorobenzene (surr)       1683       100       101.0       98.0         VOLATILE COMPOUNDS - 8260       80       100       101.0       101.0         VOLATILES 8260 NON-AQUEOUS       8       50.0       57.3       114.6         Bromoform       966       50.0       57.3       114.6         Bromoform       966       50.0       58.2       116.4         1,1-Dichloroethane       966       50.0       47.2       94.4         1,2-Dichloropropane       966       50.0       57.0       100.0         Ethylbenzene       966       50.0       58.0       116.0         MTBE       966       50.0       50.6       101.2         1,1,2,2-Tetrachloroethane       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       57.9       115.8         Trimethylbenzene	1,3,5-Trimethylbenzene		1683	50	50	100.0
Dibromofluoromethane (surr)	Vinyl Chloride		1683	50.0	48.8	97.6
Toluene-d8 (surr) 1683 100 98.0 98.0 98.0 4-Bromofluorobenzene (surr) 1683 100 101.0	Xylenes, Total		1683	150	149	99.3
A-Bromofluorobenzene(surr)   1683   100   101.0   101.0     VOLATILE COMPOUNDS - 8260   VOLATILES 8260 NON-AQUEOUS   Benzene   966   50.0   57.3   114.6     Bromoform   966   50.0   50.0   100.0     Chlorobenzene   966   50.0   58.2   116.4     1,1-Dichloroethane   966   50.0   46.5   93.0     1,1-Dichloroethene   966   50.0   47.2   94.4     1,2-Dichloropropane   966   50.0   58.0   110.0     Ethylbenzene   966   50.0   58.0   116.0     MTBE   966   50.0   51.7   103.4     Toluene   966   50.0   51.7   103.4     Toluene   966   50.0   51.7   103.4     Toluene   966   50.0   57.9   115.8     Trichloroethylene   966   50.0   53.2   106.4     1,2,2-Tetrachloroethane   966   50.0   53.2   106.4     1,2,4-Trimethylbenzene   966   50.0   53.2   106.4     1,2,4-Trimethylbenzene   966   50.0   56.0   112.0     1,3,5-Trimethylbenzene   966   50.0   56.0   112.0     1,3,5-Trimethylbenzene   966   50.0   44.4   88.8     Xylenes, Total   966   150   176   117.3     4-Bromofluorobenzene(surr)   966   100   90.5   90.5     Toluene-d8(surr)   966   100   90.5   90.5     Dibromofluoromethane(surr)   966   100   90.5   90.5     DNA - 8270 AQUEOUS   8270 NONAQUEOUS     Acenaphthene   933   50   50.8   101.6     Pyrene   933   50   50.0   100.0	Dibromofluoromethane(surr)		1683	100	98.0	98.0
VOLATILE COMPOUNDS - 8260           VOLATILES 8260 NON-AQUEOUS         966         50.0         57.3         114.6           Benzene         966         50.0         57.3         114.6           Bromoform         966         50.0         50.0         100.0           Chlorobenzene         966         50.0         58.2         116.4           1,1-Dichloroethane         966         50.0         46.5         93.0           1,1-Dichloroptopane         966         50.0         47.2         94.4           1,2-Dichloropropane         966         50.0         50.0         100.0           Ethylbenzene         966         50.0         50.6         101.2           1,1,2,2-Tetrachloroethane         966         50.0         50.6         101.2           1,1,2,2-Tetrachloroethane         966         50.0         57.9         115.8           Trichloroethylene         966         50.0         57.9         115.8           Trichloroethylene         966         50.0         56.0         112.0           Vinyl Chloride         966         50.0         56.0         112.0           Vinyl Chloride         966         50.0         44.4         88.8 <td>Toluene-d8 (surr)</td> <td></td> <td>1683</td> <td>100</td> <td>98.0</td> <td>98.0</td>	Toluene-d8 (surr)		1683	100	98.0	98.0
VOLATILES 8260 NON-AQUEOUS         Benzene       966       50.0       57.3       114.6         Bromoform       966       50.0       50.0       100.0         Chlorobenzene       966       50.0       58.2       116.4         1,1-Dichloroethane       966       50.0       46.5       93.0         1,1-Dichloroethene       966       50.0       47.2       94.4         1,2-Dichloropropane       966       50.0       50.0       100.0         Ethylbenzene       966       50.0       58.0       116.0         MTBE       966       50.0       50.6       101.2         1,1,2,2-Tetrachloroethane       966       50.0       51.7       103.4         Toluene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       56.0       112.0         Vinyl Chloride <td>4-Bromofluorobenzene(surr)</td> <td></td> <td>1683</td> <td>100</td> <td>101.0</td> <td>101.0</td>	4-Bromofluorobenzene(surr)		1683	100	101.0	101.0
Benzene       966       50.0       57.3       114.6         Bromoform       966       50.0       50.0       100.0         Chlorobenzene       966       50.0       58.2       116.4         1,1-Dichloroethane       966       50.0       46.5       93.0         1,1-Dichloroethane       966       50.0       47.2       94.4         1,2-Dichloropropane       966       50.0       50.0       100.0         Ethylbenzene       966       50.0       58.0       116.0         MTBE       966       50.0       50.6       101.2         1,1,2,2-Tetrachloroethane       966       50.0       51.7       103.4         Toluene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       56.0       112.0         1,3,5-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene(surr)       966       100 <td< td=""><td>VOLATILE COMPOUNDS - 8260</td><td></td><td></td><td></td><td></td><td></td></td<>	VOLATILE COMPOUNDS - 8260					
Bromoform       966       50.0       50.0       100.0         Chlorobenzene       966       50.0       58.2       116.4         1,1-Dichloroethane       966       50.0       46.5       93.0         1,1-Dichloroethene       966       50.0       47.2       94.4         1,2-Dichloropropane       966       50.0       50.0       100.0         Ethylbenzene       966       50.0       58.0       116.0         MTBE       966       50.0       50.6       101.2         1,1,2,2-Tetrachloroethane       966       50.0       51.7       103.4         Toluene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       56.0       112.0         Vinyl Chloride       965       50.0 <td< td=""><td>VOLATILES 8260 NON-AQUEOUS</td><td></td><td></td><td></td><td></td><td></td></td<>	VOLATILES 8260 NON-AQUEOUS					
Chlorobenzene       966       50.0       58.2       116.4         1,1-Dichloroethane       966       50.0       46.5       93.0         1,1-Dichloroethane       966       50.0       47.2       94.4         1,2-Dichloropropane       966       50.0       50.0       100.0         Ethylbenzene       966       50.0       58.0       116.0         MTBE       966       50.0       50.6       101.2         1,1,2,2-Tetrachloroethane       966       50.0       51.7       103.4         Toluene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       56.0       112.0         1,3,5-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       965       50.0       44.4       88.8         Xylenes, Total       96       150	Benzene		966	50.0	57.3	114.6
1,1-Dichloroethane	Bromoform		966	50.0	50.0	100.0
1,1-Dichloroethene       966       50.0       47.2       94.4         1,2-Dichloropropane       966       50.0       50.0       100.0         Ethylbenzene       966       50.0       58.0       116.0         MTBE       966       50.0       50.6       101.2         1,1,2,2-Tetrachloroethane       966       50.0       51.7       103.4         Toluene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       53.2       106.4         1,2,4-Trimethylbenzene       966       50.0       56.0       112.0         1,3,5-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene(surr)       966       100       90.5       90.5         Toluene-d8(surr)       966       100       90.5       90.5         BNA - 8270 AQUEOUS       34.8       50       51.8       103.6         BNA - 8270 NONAQUEOUS       33       50       50.8       101.6         Pyrene       933       50 <td>Chlorobenzene</td> <td></td> <td>966</td> <td>50.0</td> <td>58.2</td> <td>116.4</td>	Chlorobenzene		966	50.0	58.2	116.4
1,2-Dichloropropane   966   50.0   50.0   100.0	1,1-Dichloroethane		966	50.0	46.5	93.0
Ethylbenzene       966       50.0       58.0       116.0         MTBE       966       50.0       50.6       101.2         1,1,2,2-Tetrachloroethane       966       50.0       51.7       103.4         Toluene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       53.2       106.4         1,2,4-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene(surr)       966       100       100.0       100.0         Dibromofluoromethane(surr)       966       100       90.5       90.5         Toluene-d8(surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS         Acenaphthene       1348       50       51.8       103.6         BNA - 8270 NONAQUEOUS         Acenaphthene       933       50       50.0       100.0         Pyrene       933       50       50.0       100.0	1,1-Dichloroethene		966	50.0	47.2	94.4
MTBE       966       50.0       50.6       101.2         1,1,2,2-Tetrachloroethane       966       50.0       51.7       103.4         Toluene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       53.2       106.4         1,2,4-Trimethylbenzene       966       50.0       56.0       112.0         1,3,5-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene (surr)       966       100       100.0       100.0         Dibromofluoromethane (surr)       966       100       90.5       90.5         Toluene-d8 (surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS       3148       50       51.8       103.6         BNA - 8270 NONAQUEOUS       32       50.8       101.6         Pyrene       933       50       50.0       100.0	1,2-Dichloropropane		966	50.0	50.0	100.0
1,1,2,2-Tetrachloroethane       966       50.0       51.7       103.4         Toluene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       53.2       106.4         1,2,4-Trimethylbenzene       966       50.0       56.0       112.0         1,3,5-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene (surr)       966       100       100.0       100.0         Dibromofluoromethane (surr)       966       100       90.5       90.5         Toluene-d8 (surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS       3148       50       51.8       103.6         BNA - 8270 NONAQUEOUS       32       50       50.8       101.6         Pyrene       933       50       50.0       50.0       100.0	Ethylbenzene		966	50.0	58.0	116.0
Toluene       966       50.0       57.9       115.8         Trichloroethylene       966       50.0       53.2       106.4         1,2,4-Trimethylbenzene       966       50.0       56.0       112.0         1,3,5-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene (surr)       966       100       100.0       100.0         Dibromofluoromethane (surr)       966       100       90.5       90.5         Toluene-d8 (surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS       3148       50       51.8       103.6         BNA - 8270 NONAQUEOUS       32       50       50.8       101.6         Pyrene       933       50       50.0       100.0	MTBE		966	50.0	50.6	101.2
Trichloroethylene       966       50.0       53.2       106.4         1,2,4-Trimethylbenzene       966       50.0       56.0       112.0         1,3,5-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene(surr)       966       100       100.0       100.0         Dibromofluoromethane(surr)       966       100       90.5       90.5         Toluene-d8(surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS         Acenaphthene       1348       50       51.8       103.6         BNA - 8270 NONAQUEOUS         Acenaphthene       933       50       50.8       101.6         Pyrene       933       50       50.0       100.0	1,1,2,2-Tetrachloroethane		966	50.0	51.7	103.4
1,2,4-Trimethylbenzene       966       50.0       56.0       112.0         1,3,5-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene(surr)       966       100       100.0       100.0         Dibromofluoromethane(surr)       966       100       90.5       90.5         Toluene-d8(surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS         Acenaphthene       1348       50       51.8       103.6         BNA - 8270 NONAQUEOUS         Acenaphthene       933       50       50.8       101.6         Pyrene       933       50       50.0       100.0	Toluene		966	50.0	57.9	115.8
1,3,5-Trimethylbenzene       966       50.0       56.0       112.0         Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene(surr)       966       100       100.0       100.0         Dibromofluoromethane(surr)       966       100       90.5       90.5         Toluene-d8(surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS       3148       50       51.8       103.6         BNA - 8270 NONAQUEOUS       3148       50       50.8       101.6         BNA - 8270 NONAQUEOUS       933       50       50.8       101.6         Pyrene       933       50       50.0       100.0	Trichloroethylene		966	50.0	53.2	106.4
Vinyl Chloride       966       50.0       44.4       88.8         Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene(surr)       966       100       100.0       100.0         Dibromofluoromethane(surr)       966       100       90.5       90.5         Toluene-d8(surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS       30       50       51.8       103.6         BNA - 8270 NONAQUEOUS       30       50.8       101.6         Acenaphthene       933       50       50.8       101.6         Pyrene       933       50       50.0       100.0	1,2,4-Trimethylbenzene		966	50.0	56.0	112.0
Xylenes, Total       966       150       176       117.3         4-Bromofluorobenzene(surr)       966       100       100.0       100.0         Dibromofluoromethane(surr)       966       100       90.5       90.5         Toluene-d8(surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS       30       51.8       103.6         BNA - 8270 NONAQUEOUS       30       50.8       101.6         Acenaphthene       933       50       50.8       101.6         Pyrene       933       50       50.0       100.0	1,3,5-Trimethylbenzene		966	50.0	56.0	112.0
4-Bromofluorobenzene(surr)       966       100       100.0       100.0         Dibromofluoromethane(surr)       966       100       90.5       90.5         Toluene-d8(surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS       8270       51.8       103.6         BNA - 8270 NONAQUEOUS       8270 NONAQUEOUS       80.0       50.8       101.6         Acenaphthene       933       50       50.8       101.6         Pyrene       933       50       50.0       100.0	Vinyl Chloride		966	50.0	44.4	88.8
Dibromofluoromethane (surr)       966       100       90.5       90.5         Toluene-d8 (surr)       966       100       98.9       98.9         BNA - 8270 AQUEOUS       38.9       50       51.8       103.6         BNA - 8270 NONAQUEOUS       39.3       50       50.8       101.6         Pyrene       933       50       50.0       100.0	Xylenes, Total		966	150	176	117.3
Toluene-d8 (surr)         966         100         98.9         98.9           BNA - 8270 AQUEOUS         Acenaphthene         1348         50         51.8         103.6           BNA - 8270 NONAQUEOUS         Acenaphthene         933         50         50.8         101.6           Pyrene         933         50         50.0         100.0	4-Bromofluorobenzene(surr)		966	100	100.0	100.0
BNA - 8270 AQUEOUS         Acenaphthene       1348       50       51.8       103.6         BNA - 8270 NONAQUEOUS         Acenaphthene       933       50       50.8       101.6         Pyrene       933       50       50.0       100.0	Dibromofluoromethane(surr)		966	100	90.5	90.5
Acenaphthene       1348       50       51.8       103.6         BNA - 8270 NONAQUEOUS         Acenaphthene       933       50       50.8       101.6         Pyrene       933       50       50.0       100.0	Toluene-d8(surr)		966	100	98.9	98.9
BNA - 8270 NONAQUEOUS         Acenaphthene       933       50       50.8       101.6         Pyrene       933       50       50.0       100.0	BNA - 8270 AQUEOUS					
Acenaphthene 933 50 50.8 101.6 Pyrene 933 50 50.0 100.0	Acenaphthene		1348	50	51.8	103.6
Pyrene 933 50 50.0 100.0	BNA - 8270 NONAQUEOUS					
	Acenaphthene		933	50	50.8	101.6
Nitrobantona dE (Curr )	Pyrene		933	50	.50.0	100.0
MICTODERIZERE-UD (SUII.) 933 100 102.0 102.0	Nitrobenzene-d5 (Surr.)		933	100	102.0	102.0

CCV - Continuing Calibration Verification



Page 25 of 37

# QUALITY CONTROL REPORT CONTINUING CALIBRATION VERIFICATION

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley 04/04/2001

Job Number: 01.03069

Analyte	Prep Batch Number	Run Batch Number	CCV True Concentration	Concentration Found	Percent Recovery
2-Fluorobiphenyl (Surr.)		933	100	101.0	101.0
Terphenyl-d14 (Surr.)		933	100	99.5	99.5
EXTRACTABLE HYDROCARBONS-WATER					
Diesel		2778	2,500	2,664	106.6
Motor Oil		2778	2,500	2,647	105.9

CCV - Continuing Calibration Verification



Page 26 of 37

### QUALITY CONTROL REPORT BLANKS

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run		
	Batch	Batch	Blank	
Analyte	Number	Number	Analysis	Units
Manageme Cald Vanor		1914	<0.00020	ma / ī
Mercury, Cold Vapor	2240			mg/L
Arsenic, ICP	2340	3448	<0.080	mg/L
Barium, ICP	2340	3482	<0.010	mg/L
Cadmium, ICP	2340	3494	<0.020	mg/L
Chromium, ICP	2340	3494	<0.020	mg/L
Lead, ICP	2340	3464	<0.10	mg/L
Selenium, ICP	2340	3442	<0.15	mg/L
Silver, ICP	2340	3490	<0.020	mg/L
VOLATILE COMPOUNDS - 8260				
Acetone		1683	<20	ug/L
Benzene		1683	<0.5	ug/L
Bromobenzene		1683	<1.0	ug/L
Bromochloromethane		1683	<1.0	ug/L
Bromodichloromethane		1683	<1.0	ug/L
Bromoform		1683	<2.0	ug/L
Bromomethane		1683	<4.0	ug/L
2-Butanone (MEK)		1683	<10	ug/L
n-Butylbenzene		1683	<1.0	ug/L
sec-Butylbenzene		1683	<1.0	ug/L
tert-Butylbenzene		1683	<1.0	ug/L
Carbon Tetrachloride		1683	<1.0	ug/L
Chlorobenzene		1683	<1.0	ug/L
Chlorodibromomethane		1683	<1.0	ug/L

Advisory Control Limits for Blanks:

Metals/Wet Chemistry/ Conventionals/GC - all compounds should be less than the Reporting Limit.

GC/MS - Semi-Volatiles - all compounds should be less than the Reporting Limit except for phthalates which should be less than 5 times the reporting limit.



Page 27 of 37

### QUALITY CONTROL REPORT BLANKS

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run		
	Batch	Batch	Blank	
Analyte	Number	Number	Analysis	Units
Chloroethane		1683	<4,0	ug/L
Chloroform		1683	<1.0	ug/L
Chloromethane		1683	<4.0	ug/L
2-Chlorotoluene		1683	<1.0	ug/L
4-Chlorotoluene		1683	<1.0	ug/L
1,2-Dibromo-3-Chloropropane		1683	<10	ug/L
1,2-Dibromoethane (EDB)		1683	<10	ug/L
Dibromomethane		1683	<1.0	ug/L
1,2-Dichlorobenzene		1683	<1.0	ug/L
1,3-Dichlorobenzene		1683	<1.0	ug/L
1,4-Dichlorobenzene		1683	<1.0	ug/L
Dichlorodifluoromethane		1683	<3.0	ug/L
1,1-Dichloroethane		1683	<1.0	ug/L
1,2-Dichloroethane		1683	<1.0	ug/L
1,1-Dichloroethene		1683	<2.0	ug/L
cis-1,2-Dichloroethene		1683	<1.0	ug/L
trans-1,2-Dichloroethene		1683	<1.0	ug/L
1,2-Dichloropropane		1683	<1.0	ug/L
1,3-Dichloropropane	•	1683	<1.0	ug/L
2,2-Dichloropropane		1683	<4.0	ug/L
1,1-Dichloropropene		1683	<1.0	ug/L
cis-1,3-Dichloropropene		1683	<1.0	ug/L
trans-1,3-Dichloropropene		1683	<1.0	ug/L

#### Advisory Control Limits for Blanks:

Metals/Wet Chemistry/ Conventionals/GC - all compounds should be less than the Reporting Limit.

GC/MS - Semi-Volatiles - all compounds should be less than the Reporting Limit except for phthalates which should be less than 5 times the reporting limit.



Page 28 of 37

### QUALITY CONTROL REPORT BLANKS

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run		
	Batch	Batch	Blank	
Analyte	Number	Number	Analysis	Units
Ethylbenzene		1683	<1.0	ug/L
Hexachlorobutadiene		1683	<5.0	ug/L
Isopropylbenzene		1683	<1.0	ug/L
p-Isopropyltoluene		1683	<1.0	ug/L
Methylene Chloride		1683	<5.0	ug/L
MTBE		1683	<1.0	ug/L
Naphthalene		1683	<5.0	ug/L
n-Propylbenzene		1683	<1.0	ug/L
Styrene		1683	<1.0	ug/L
1,1,1,2-Tetrachloroethane		1683	<1.0	ug/L
1,1,2,2-Tetrachloroethane		1683	<1.0	ug/L
Tetrachloroethene		1683	<1.0	ug/L
Toluene		1683	<1.0	ug/L
1,2,3-Trichlorobenzene		1683	<5.0	ug/L
1,2,4-Trichlorobenzene		1683	<5.0	ug/L
1,1,1-Trichloroethane		1683	<1.0	ug/L
1,1,2-Trichloroethane		1683	<1.0	ug/L
Trichloroethylene		1683	<1.0	ug/L
Trichlorofluoromethane		1683	<4.0	ug/L
1,2,3-Trichloropropane		1683	<1.0	ug/L
1,2,4-Trimethylbenzene		1683	<1.0	ug/L
1,3,5-Trimethylbenzene		1683	<1.0	ug/L
Vinyl Chloride		1683	<1.0	ug/L
				-

#### Advisory Control Limits for Blanks:

Metals/Wet Chemistry/ Conventionals/GC - all compounds should be less than the Reporting Limit.

GC/MS - Semi-Volatiles - all compounds should be less than the Reporting Limit except for phthalates which should be less than 5 times the reporting limit.



Page 29 of 37

#### QUALITY CONTROL REPORT BLANKS

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run		
	Batch	Batch	Blank	
Analyte	Number	Number	Analysis	Units
Xylenes, Total		1683	<3.0	ug/L
VOLATILE COMPOUNDS - 8260				
Naphthalene		1692	<5.0	ug/L
VOLATILES 8260 NON-AQUEOUS				
Acetone		966	<50	ug/kg
Benzene		966	<5.0	ug/kg
Bromobenzene		966	<5.0	ug/kg
Bromochloromethane		966	<5.0	ug/kg
Bromodichloromethane		966	<5.0	ug/kg
Bromoform		966	<10	ug/kg
Bromomethane		966	<20	ug/kg
n-Butylbenzene		966	<5.0	ug/kg
sec-Butylbenzene		966	<5.0	ug/kg
tert-Butylbenzene		966	<5.0	ug/kg
Carbon tetrachloride		966	<5.0	ug/kg
Chlorobenzene		966	<5.0	ug/kg
Chlorodibromomethane		966	<5.0	ug/kg
Chloroethane		966	<20	ug/kg
Chloroform		966	<5.0	ug/kg
Chloromethane		966	<20	ug/kg
2-Chlorotoluene		966	<5.0	ug/kg
4-Chlorotoluene		966	<5.0	ug/kg
1,2-Dibromo-3-chloropropane		966	<50	ug/kg

Advisory Control Limits for Blanks:

Metals/Wet Chemistry/ Conventionals/GC - all compounds should be less than the Reporting Limit.

GC/MS - Semi-Volatiles - all compounds should be less than the Reporting Limit except for phthalates which should be less than 5 times the reporting limit.



Page 30 of 37

# QUALITY CONTROL REPORT BLANKS

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run		
	Batch	Batch	Blank	
Analyte	Number	Number	Analysis	Units
1,2-Dibromoethane		966	<50	ug/kg
Dibromomethane		966	<5.0	ug/kg
1,2-Dichlorobenzene		966	<5.0	ug/kg
1,3-Dichlorobenzene		966	<5.0	ug/kg
1,4-Dichlorobenzene		966	<5.0	ug/kg
Dichlorodifluoromethane		966	<15	ug/kg
1,1-Dichloroethane		966	<5.0	ug/kg
1,2-Dichloroethane		966	<5.0	ug/kg
1,1-Dichloroethene		966	<5.0	ug/kg
cis-1,2-Dichloroethene		966	<5.0	ug/kg
trans-1,2-Dichloroethene		966	<5.0	ug/kg
1,2-Dichloropropane		966	<5.0	ug/kg
1,3-Dichloropropane		966	<5.0	ug/kg
2,2-Dichloropropane		966	<20	ug/kg
1,1-Dichloropropene		966	<5.0	ug/kg
cis-1,3-Dichloropropene		966	<5.0	ug/kg
trans-1,3-Dichloropropene		966	<5.0	ug/kg
Ethylbenzene		966	<5.0	ug/kg
Hexachlorobutadiene		966	<25	ug/kg
Isopropylbenzene		966	<5.0	ug/kg
p-Isopropyltoluene		966	<5.0	ug/kg
Methylene chloride		966	<50	ug/kg
мтве		966	<5.0	ug/kg

#### Advisory Control Limits for Blanks:

Metals/Wet Chemistry/ Conventionals/GC - all compounds should be less than the Reporting Limit.

GC/MS - Semi-Volatiles - all compounds should be less than the Reporting Limit except for phthalates which should be less than 5 times the reporting limit.



Page 31 of 37

# QUALITY CONTROL REPORT BLANKS

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run		
	Batch	Batch	Blank	
Analyte	Number	Number	Analysis	Units
Naphthalene		966	<25	ug/kg
n-Propylbenzene		966	<5.0	ug/kg
Styrene		966	<5.0	ug/kg
1,1,1,2-Tetrachloroethane		966	<5.0	ug/kg
1,1,2,2-Tetrachloroethane		966	<5.0	ug/kg
Tetrachloroethene		966	<5.0	ug/kg
Toluene		966	<5.0	ug/kg
1,2,3-Trichlorobenzene		966	<25	ug/kg
1,2,4-Trichlorobenzene		966	<25	ug/kg
1,1,1-Trichloroethane		966	<5.0	ug/kg
1,1,2-Trichloroethane		966	<5.0	ug/kg
Trichloroethylene		966	<5.0	ug/kg
Trichlorofluoromethane		966	<20	ug/kg
1,2,3-Trichloropropane		966	<5.0	ug/kg
1,2,4-Trimethylbenzene		966	<5.0	ug/kg
1,3,5-Trimethylbenzene		966	<5.0	ug/kg
Vinyl Chloride		966	<15	ug/kg
Xylenes, Total		966	<15	ug/kg
BNA - 8270 AQUEOUS			•	
Acenaphthene	798	1342	<10	ug/L
Acenaphthylene	798	1342	<10	ug/L
Anthracene	798	1342	<10	ug/L
Benzo(a)anthracene	798	1342	<10	ug/L
				٥.

Advisory Control Limits for Blanks:

Metals/Wet Chemistry/ Conventionals/GC - all compounds should be less than the Reporting Limit.

GC/MS - Semi-Volatiles - all compounds should be less than the Reporting Limit except for phthalates which should be less than 5 times the reporting limit.



Page 32 of 37

#### QUALITY CONTROL REPORT BLANKS

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep Batch	Run Batch	Blank	
Analyte	Number	Number	Analysis	Units
Benzo(b) fluoranthene	798	1342	<10	ug/L
Benzo(k)fluoranthene	798	1342	<10	ug/L
Benzo(a)pyrene	798	1342	<10	ug/L
Benzo(ghi)perylene	798	1342	<10	ug/L
Chrysene	798	1342	<10	ug/L
Dibenzo(a,h)anthracene	798	1342	<10	ug/L
Fluoranthene	798	1342	<10	ug/L
Fluorene	798	1342	<10	ug/L
Indeno(1,2,3-cd)pyrene	798	1342	<10	ug/L
2-Methylnapthalene	798	1342	<10	ug/L
Naphthalene	798	1342	<10	ug/L
Phenanthrene	798	1342	<10	ug/L
Pyrene	798	1342	<10	ug/L
BNA - 8270 NONAQUEOUS				
Acenaphthene	518	931	<0.33	mg/kg
Acenaphthylene	518	931	<0.33	mg/kg
Anthracene	518	931	<0.33	mg/kg
Benzo(a)anthracene	518	931	<0.33	mg/kg
Benzo(b)fluoranthene	518	931	<0.33	mg/kg
Benzo(k)fluoranthene	518	931	<0.33	mg/kg
Benzo(a)pyrene	518	931	<0.33	mg/kg
Benzo(ghi)perylene	518	931	<0.33	mg/kg
Chrysene	518	931	<0.33	mg/kg

Advisory Control Limits for Blanks:

Metals/Wet Chemistry/ Conventionals/GC - all compounds should be less than the Reporting Limit.

GC/MS - Semi-Volatiles - all compounds should be less than the Reporting Limit except for phthalates which should be less than 5 times the reporting limit.



Page 33 of 37

### QUALITY CONTROL REPORT BLANKS

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run		
	Batch	Batch	Blank	
Analyte	Number	Number	Analysis	Units
Dibenzo(a,h)anthracene	518	931	<0.33	mg/kg
Fluoranthene	518	931	<0.33	mg/kg
Fluorene	518	931	<0.33	mg/kg
Indeno(1,2,3-cd)pyrene	518	931	<0.33	mg/kg
2-Methylnaphthalene	518	931	<0.33	mg/kg
Naphthalene	518	931	<0.33	mg/kg
Phenanthrene	518	931	<0.33	mg/kg
Pyrene	518	931	<0.33	mg/kg
EXTRACTABLE HYDROCARBONS-WATER				
Total Extractable Hydrocarbons	1639	2775	<380	ug/L
Diesel	1639	2775	<380	ug/L
Motor Oil	1639	2775	<380	ug/L

#### Advisory Control Limits for Blanks:

 ${\tt Metals/Wet\ Chemistry/\ Conventionals/GC\ -\ all\ compounds\ should\ be\ less\ than\ the\ Reporting\ Limit.}$ 

GC/MS - Semi-Volatiles - all compounds should be less than the Reporting Limit except for phthalates which should be less than 5 times the reporting limit.



Page 34 of 37

### OUALITY CONTROL REPORT MATRIX SPIKE/MATRIX SPIKE DUPLICATE

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run	Matrix						MSD			
	Batch	Batch	Spike	Sample	Spike		Percent	MSD	Spike		Percent	MS/MSD
Analyte	Number	Number	Result	Result	Amount	Units	Recovery	Result	Amount	Units	Recovery	RPD
						-						
Mercury,Cold Vapor		1914	0.00176	<0.0002	0.0016	mg/L	105.4	0.0017	0.0016	mg/L	101.8	3.5
Mercury,Cold Vapor		1914	0.00172	<0.0002	0.0016	mg/L	103.0	0.0016	0.0016	mg/L	98.8	4.2
ICP Metals - SW-6010B		3068		Complet								
ICP Metals - SW-6010B		3068		Complet								
Arsenic, ICP	2340	3448	2.08	<0.080	2.00	mg/L	104.0	2.05	2.00	mg/L	102.5	1.5
Barium, ICP	2340	3482	1.03	0.021	1.00	mg/L	100.9	1.00	1.00	mg/L	97.9	3.0
Cadmium, ICP	2340	3494	1.02	<0.020	1.00	mg/L	102.0	1.00	1.00	mg/L	100.0	2.0
Chromium, ICP	2340	3494	1.01	<0.020	1.00	mg/L	101.0	0.99	1.00	mg/L	99.0	2.0
Lead, ICP	2340	3464	2.08	<0.10	2.00	mg/L	104.0	1.99	2.00	mg/L	99.5	4.4
Selenium, ICP	2340	3442	4.08	<0.15	4.00	mg/L	102.0	3.93	4.00	mg/L	98.3	3.7
Silver, ICP	2340	3490	0.95	<0.040	1.00	mg/L	95.0		1.00	mg/L		
BNA - 8270 NONAQUEOUS												
Acenaphthene	518	931	6.18	<0.34	6.61	mg/kg	93.5	6.48	6.47	mg/kg	100.2	4.7
Pyrene	518	931	6.79	<0.34	6.61	mg/kg	102.7	6.74	6.47	mg/kg	104.2	0.7

NOTE: Matrix Spike Samples may not be samples from this job.

Advisory Control Limits for MS/MSDs Inorganic Parameters and GC Volatiles

The spike recovery should be 75 - 125% if the spike added value was greater than or equal to one fourth of the sample result value. If not, the control limits are not established. The RPD for the MS/MSD pair should be less than 20.

RPD = Relative Percent Difference



Page 35 of 37

# QUALITY CONTROL REPORT DUPLICATES

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

04/04/2001

Job Number: 01.03069

Run Prep

Batch

Batch Original Duplicate Number Number Analysis Analysis

Units RPD

\* Solids

Analyte

631 77.31 77.32

0.0

NOTE: Spikes and Duplicates may not be samples from this job.

RPD - Relative Percent Difference

Advisory Control Limits for Duplicates - RPD should be less than 20.



Page 36 of 37

# **QUALITY CONTROL REPORT LABORATORY CONTROL STANDARD**

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

04/04/2001

	Prep	Run	LCS	
	Batch	Batch	True	LCS
Analyte	Number	Number	Concentration	% Recovery
Mercury,Cold Vapor		1914	0.00167	105.4
Arsenic, ICP	2340	3448	2.00	100.0
Barium, ICP	2340	3482	1.00	99.0
Cadmium, ICP	2340	3494	1.00	101.0
Chromium, ICP	2340	3494	1.00	100.0
Lead, ICP	2340	3464	2.00	102.5
Selenium, ICP	2340	3442	4.00	100.5
Silver, ICP	2340	3490	1.00	100.0
VOLATILE COMPOUNDS - 8260				
Benzene		1683	20	110.0
Chlorobenzene		1683	20	110.0
1,1-Dichloroethene		1683	20	110.0
Ethylbenzene		1683	20	110.0
MTBE		1683	20	115.0
Toluene		1683	20	110.0
1,2,3-Trichlorobenzene		1683	20.0	109.0
1,2,4-Trichlorobenzene		1683	20	110.0
Trichloroethylene		1683	20	110.0
1,2,4-Trimethylbenzene		1683	20	110.0
1,3,5-Trimethylbenzene		1683	20	110.0
Xylenes, Total		1683	60	108.3
VOLATILE COMPOUNDS - 8260				
VOLATILES 8260 NON-AQUEOUS			•	
Benzene		966	25.2	134.9

LCS - Laboratory Control Standard

Advisory Control Limits - Inorganics - LCS recovery should be 80 - 120%.



Page 37 of 37

04/04/2001

### QUALITY CONTROL REPORT LABORATORY CONTROL STANDARD

JACOBSON HELGOTH-LINCOLN 1033 "O" Street Suite 546 Lincoln, NE 68508 Bruce Haley

Job Number: 01.03069

Analyte	Prep Batch Number	Run Batch Number	LCS True Concentration	LCS Recovery
Chlorobenzene		966	25.2	133.3
1,1-Dichloroethene		966	25.2	111.9
Ethylbenzene		966	25.2	134.5
MTBE		966	25.2	117.1
Toluene		966	25.2	132.1
1,2,4-Trichlorobenzene		966	25.2	145.6
Trichloroethylene		966	25.2	122.6
1,2,4-Trimethylbenzene		966	25.2	131.0
1,3,5-Trimethylbenzene		966	25.2	132.1
Xylenes, Total		966	75.6	136.2
BNA - 8270 NONAQUEOUS				
Acenaphthene	518	931	6.54	94.6
Pyrene	518	931	6.54	103.5
EXTRACTABLE HYDROCARBONS-WATER				
Diesel	1639	2775	2,000	98.4

LCS - Laboratory Control Standard

Advisory Control Limits - Inorganics - LCS recovery should be 80 - 120%.

# COOLER TEMPERATURES

CLIENT:	alobsen	Helph	·
CITY:			Beatrice FMGF
DATE TAKEN:	3-24.01	TAKEN BY:	<del>-</del> <del>H</del>
Cooler #1:	%C / ON ICE	Cooler #3: _	° C / ON ICE
Cooler #2:	° C / ON ICE	Cooler #4:	°C / ON ICE

Increased emphasis has been put on sample preservation by the various regulators. Any sample being sent to NET must be properly preserved, this includes sending samples in a properly cooled shipping container. The majority of tests performed for regulatory compliance must be preserved at  $4^{\circ}$  C  $\pm$   $2^{\circ}$  C during storage and shipment as directed by 40 CFR Part 136. Results from samples which are not properly preserved at  $4^{\circ}$  C  $\pm$   $2^{\circ}$  C may be rejected by regulators. Rejection or acceptance is solely at the discretion of the regulators.

**Chain of Custody** Report To: Project No. 362-26 Project Name: Page \_\_ of \_\_ **Parameters** No. Beatrice FMGP of Containers Sampler (Signature) (Print) Jacobson Helgoth Bruce HAley Remarks: (Include: full list of analytes, Water किंव Sampling Location 01 Sample field filtering and changes to Identification Number Date Time plan) (Optional) Jacobson Helgoth Consultants 10838 Old Mill Road, Suite One P-2 3-22 14:40 X Omaha, Nebraska 68154-2649 invoice To: 3-22 14:20 X

Relinquished By: (Signature			iture)   Date/Time		Date/Time	Received By: (Signature)	Date/Time
Brun Haley	3-23-01 10:30	Thelia Saccian	1 3/24/01 RZ	5			
	Company	1.9	Company		Company		Company
Bruce Haley (Print	2HC	Melene Francian	Print)	(Print)		(Print)	
Relinquished By: <b>(</b> Signature)	Date/Time	Received By: (Signa	ture) Date/Time	Relinquished By: (Signature)	Date/Time	Received By: (Signature)	Date/Time
				. , ,		·	
	Company		Company		Company		Company
(Print		(F	Print)	(Print)		(Print)	

"Rite in the Rain"	
All-WEATHER WRITING PAPER	11111

Name	 		 
Address			
Phone			
Project	 	 <del></del>	 
	 	 <del> </del>	 

Yellow Polyethylene Protective Slipcovers (Item #31) are available for this style of notebook. Helps protect your notebook from wear & tear. Contact your dealer or the J. L. Darling Corporation.

	CONTENTS	
PAGE	REFERENCE	DATE
	Beatrice -NDER	

The state of the s

P. I. The D. The Daniel
Beatrice FMEP J4C-362-26 3-22-01
P.2 TD-21'
Sw 15, 1'
3.7' 5- ND
7-11' 10-ND
1/4 1/4 1/4
Strong ofor (diesel) potential
Strong official political
per
collect OA-2 Ilamber No Treat
PAH Il amber no Treat
8 RCRA Metals 100ml plastic HNO
VOC 2-40ml VOA
P-3 -10-11 3' C
P-3 TD-223 augu make refusal
$\omega_1 = 16.8$
3-7' 5' - ND
7.11 10' - ND
wto very strong odor-drk and thick, will
not run this through on site GC.
Ru To 21
P-4 TD 21 auger refusal
SWL: Dry no sample
37, 5 - ND
7-11' 10' - ND
Brue Waley

#### ACCESS AGREEMENT

The Nebraska Department of Environmental Quality (NDEQ), through a Cooperative Agreement with the United States Environmental Protection Agency (USEPA), will conduct environmental sampling on and near the following site being evaluated:

Evaluated Site/Facility:	Former Manufactured Gas Plant in Beatrice, Nebraska
	[Approximate legal description (i.e., Section, Township, and Range) or address]
NDEQ Site Coordinator	: Wade Gregson or Bob Zimmerman at 402-471-3388
	[Field/site coordinator's name and phone number]

NDEQ and its contractors will perform certain activities that may include sub-surface soil, soil-gas and/or groundwater sampling (including sampling private/municipal wells) on or in the vicinity of the site/facility being evaluated. The undersigned owner/operator/agent agrees to allow NDEQ or contractors to have access to the following property in order to perform sampling activities. Sampling activities will include sampling monitoring wells on/near the site. The property owner will not be held liable for any property damage resulting from activities performed as part of the environmental sampling field work/activities.

Property: City property located directly south of the intersection of Market and First Streets
(Address/description/approximate legal description where access is needed)

Date/Time: To be arranged, as soon as possible, between Contractor and City representatives.

(Indicate the week(s) that the access requirements/activities are anticipated to occur)

Property Owner / Agent

Remediation Section Supervisor, NDEQ

Date

Date


Send To:

Nebraska Department of Environmental Quality Remediation Section, Waste Management Division 1200 N Street (Suite 400), The Atrium Building

Lincoln, NE 68509 - 8922



VIEW OF P-S LOCATED NEAR THE NORTH SIDE OF A FORMER BUILDING PAD



VIEW NORTH ACROSS SITE SHOWING CONTAINMENT VESSEL CONCRETE PAD



VIEW NORTH ACROSS THE SITE, PROBE SETUP AT P-2



VIEW WEST OF P-3 SETUP NEAR EXISTING MONITORING WELL



**VIEW OF RECOVERED FREE PRODUCT FROM P-3** 



VIEW OF SOIL SAMPLER



VIEW EAST ACROSS THE RAILROAD TRACKS SHOWING COMMERCAIL BUSINESSES



VIEW SOUTHEAST SHOWING PROBE LOCATION P-4

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = CompName Like "\*CITY OF BEATRICE\*"

22 stations met your criteria.

Registration Status/Repl Permit Numb	lace	NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
<b>G-026753</b> A/0	Q	Lower Big Blue Gage 4N 5E 2 AB	3/24/1967 3/31/1967 	 509 gpm 38 ft	8 in  116 ft
	Logs	290S 2590W		73 ft	
<b>G-026752</b> A/0	Q	Lower Big Blue Gage	3/20/1967 3/31/1967	800 gpm	8 in
	Logs	4N 5E 2 BA 90S 1700E		30 ft 38 ft	116 ft
<b>G-072859</b> A/0	Р	Lower Big Blue Gage	6/8/1990 7/25/1990	 1500 gpm	10 in
Other Info	Logs	4N 5E 2 BB 686S 886E	10/22/1997 	14 ft 39 ft	187 ft
<b>G-072860</b> A/0	P	Lower Big Blue Gage	6/8/1990 7/25/1990	 1500 gpm	10 in
Other Info	Logs	4N 5E 2 BD 1403S 1667E	10/22/1997	14 ft 38 ft	197 ft
<b>G-027653</b> A/0	Р	Lower Big Blue Gage	8/6/1965 8/2/1967	 1000 gpm	8 in
	<u>Logs</u>	4N 5E 3 CB 1660N 704E		21 ft 39 ft	100 ft
Registratio Status/Repl Permit Numb	ace	NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
<b>G-027654</b> A/0	P	Lower Big Blue Gage	8/21/1965 8/2/1967	1000 gpm	8 in
	Logs	4N 5E 3 CC 1303N 768E		22 ft 39 ft	99 ft
<b>A-010481A</b> A/0	Р	Lower Big Blue Gage	8/20/1930 12/27/1976	 1400 gpm	10 in

		4N 5E 10 AC	9/12/1997	28 ft	95 ft
Other Info	Ļogs			44 ft	
A-010481B	P	Lower Big Blue	3/24/1931		7 in
A/0		Gage	12/27/1976	1500 gpm	
O. 1	-	4N 5E 10 AC	9/12/1997	24 ft	95 ft
Other Info	Logs			42 ft	
A-010481C	D	I array Die Dlus	4 /20 /1021		7 in
	P	Lower Big Blue	4/28/1931		/ III
A/0		Gage 4N 5E 10 AC	12/27/1976 9/12/1997	1300 gpm 24 ft	93 ft
Other Info	Logs	4N JE IU AC	J/12/1JJ/ 	24 It 44 ft	33 IC
Ocher Into	пода			44 10	
G-027816	P	Lower Big Blue	8/10/1967		8 in
A/0	•	Gage	8/17/1967	1000 gpm	
11, 0		4N 5E 10 AC		20 ft	93 ft
	Logs	2601S 1322W		46 ft	
Registratio	n Use	NRD Name	Completion Date	Acres Irrig	Pump Col Di
Status/Repl		County Name	Filing Date	Gallons/Min	Pump Depth
Permit Numb		Well Location	Last Update	Static Level	Well Depth
TOTAL NAME		Footage	Abandoned Date	Pumping Level	worr bopon
	5				
<b>A-010481D</b> A/0	P	Lower Big Blue Gage	4/22/1931 12/27/1976	1000	7 in
A/U		4N 5E 10 AC	9/12/1997	1000 gpm 29 ft	96 ft
Other Info	Logs	4N 3E 10 AC	9/12/1997	29 IC 54 ft	90 10
ocher into	nogs			24 10	
G-027655	P	Lower Big Blue	9/15/1965		8 in
A/0	-	Gage	8/2/1967	1000 gpm	
11, 0		4N 5E 10 BA		18 ft	97 ft
	Logs	109S 1936E		32 ft	
G-086260	G	Lower Big Blue	11/3/1995		
A/0		Gage	12/13/1995		
		4N 6E 16 DD		43 ft	150 ft
<u>Other Info</u>	<u>Logs</u>	100N 970W			
	_				
G-079589	Q	Lower Big Blue	9/22/1993		
A/0		Gage	11/24/1993	12 5	16.5
Other Tofe	T 0 ~ 0	4N 6E 33 DD 470N 1965W		13 ft	16 ft
Other Info	подъ	470N 1903W			
G-079588	0	Lower Big Blue	9/22/1993		
A/0	ĸ	Gage	11/24/1993	~ ~ ~ ~	
		4N 6E 33 DD		12 ft	18 ft
Other Info	Logs	430N 2200W			
Registratio	n Use	NRD Name	Completion Date	Acres Irrig	Pump Col Di
Status/Repl		County Name	Filing Date	Gallons/Min	Pump Depth
Permit Numb		Well Location	Last Update	Static Level	Well Depth
		Footage	Abandoned Date	Pumping Level	
0.070507					Delining in the second
<b>G-079587</b> A/0	Q	Lower Big Blue	9/22/1993 11/24/1993		
A/U .		Gage 4N 6E 33 DD	11/24/1993	10 ft	 14 ft
Other Info	Logs	570N 2205W		10 IC	14 10
olerici Titro	유전되고	5 / OIV 22 03 W		_	
G-079584	0	Lower Bia Blue	9/7/1993		
<b>G-079584</b> A/0	Q	Lower Big Blue Gage	9/7/1993 11/24/1993		
	Q	Lower Big Blue Gage 4N 6E 33 DD		 10 ft	  14 ft
A/0	Q <u>Logs</u>	Gage	11/24/1993	 10 ft	  14 ft
	~	Gage 4N 6E 33 DD	11/24/1993		 14 ft
A/0	~	Gage 4N 6E 33 DD	11/24/1993		 14 ft

A/0 Other Info	<u>Logs</u>	Gage 4N 6E 33 DD 530N 2095W	11/24/1993  	10 ft	 14 ft
<b>G-079582</b> A/0 Other Info	Q <u>Logs</u>	Lower Big Blue Gage 4N 6E 33 DD 500N 2065W	9/8/1993 11/24/1993 	 12 ft	  14 ft
G-079585 A/0 Other Info	Q <u>Logs</u>	Lower Big Blue Gage 4N 6E 33 DD 465N 2120W	9/8/1993 11/24/1993 	13 ft	  14 ft
Registratio Status/Repl Permit Numb	ace	NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
Status/Repl	ace	County Name Well Location	Filing Date Last Update	Gallons/Min Static Level	Pump Depth

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 4) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 31)

1 stations met your criteria.

Registration Status/Replace Permit Number	Use	NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-096501	D	Lower Big Blue	6/5/1997		4 in
A/0		Gage	6/11/1998	20 gpm	2.5 ft
		4N 6E 31 CC	6/16/1998	60 ft	103 ft
Other Info Lo	gs	495N 1155E		90 ft	

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 4) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 26)

2 stations met your criteria.

Registration Use Status/Replace Permit Number		County Name Filing Date Well Location Last Update	Acres Irrig Pump Co Gallons/Min Pump De Static Level Well De Pumping Level		
G-107268	D	Lower Big Blue	9/4/2000		1 in
A/0		Gage	10/5/2000	10 gpm	80 ft
		4N 6E 26 AC	11/7/2000	60 ft	92 ft
Other Info	<u>Logs</u>	1900S 2300W		70 ft	
G-100549	D	Lower Big Blue	4/30/1999		1 in
A/0		Gage	5/7/1999	10 gpm	50 ft
		4N 6E 26 AC	10/19/1999	38 ft	62 ft
Other Info	Logs	2390S 1370W		50 ft	

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 4) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 27)

3 stations met your criteria.

Registration Use Status/Replace Permit Number		NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-106326	D	Lower Big Blue	6/9/2000		5 in
A/0		Gage	7/11/2000	15 gpm	80 ft
		4N 6E 27 AA	7/13/2000	62 ft	99 ft
Other Info	<u>Logs</u>	150s 150W		85 ft	
G-100937	D	Lower Big Blue	6/12/1999		
I/O		Gage	6/17/1999		
		4N 6E 27 AA	11/1/1999	66 ft	102 ft
Other Info	Logs	1040S 578W	<del>-</del>	80 ft	
G-091059A	Q	Lower Big Blue	5/14/1993		
A/0		Gage	4/7/1997		
		4N 6E 27 CB	5/28/1997	10 ft	18 ft
Other Info	Logs	1830N 52E			

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 4) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 30)

1 stations met your criteria.

Registration Status/Replace Permit Number	ce	NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-089934	D	Lower Big Blue	11/2/1996		
I/0		Gage	12/2/1996		
		4N 6E 30 DC	5/9/1997	43 ft	80 ft
Other Info	Logs	55N 1800W		80 ft	

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 4) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 22)

### 1 stations met your criteria.

Registration Status/Replace Permit Number	Use	NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-105044	D	Lower Big Blue	12/14/1999		4 in
A/0		Gage	4/11/2000	15 gpm	45 ft
		4N 6E 22 DC	4/26/2000	27 ft	52 ft
Other Info Log	<u>s</u>	300N 2580W		45 ft	

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 4) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 24)

### 1 stations met your criteria.

Registratio Status/Repl Permit Numb	ace	NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-086123	D	Lower Big Blue	7/26/1995		5 in
I/O		Gage	11/29/1995	10 gpm	32 ft
		4N 6E 24 DC		10 ft	44 ft
Other Info	Logs	140N 1980W		30 ft	

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 4) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 16)

### 2 stations met your criteria.

Registration Use Status/Replace Permit Number		NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-085284	U	Lower Big Blue	6/29/1995		
I/O		Gage	8/3/1995		
		4N 6E 16 DA		58 ft	106 ft
Other Info	Logs	2360N 950W		80 ft	
G-086260	G	Lower Big Blue	11/3/1995		
A/0		Gage	12/13/1995		
		4N 6E 16 DD		43 ft	150 ft
Other Info	Logs	100N 970W			

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 3) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 8)

1 stations met your criteria.

Registration Status/Replace Permit Number	Use	NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-087948	D	Lower Big Blue	5/6/1996		4 in
A/0		Gage	5/14/1996	15 gpm	150 ft
		3N 6E 8 DA		45 ft	122 ft

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 3) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 15)

2 stations met your criteria.

Registration Use Status/Replace Permit Number		NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-086648	D	Lower Big Blue	2/25/1995		6 in
A/0		Gage	1/8/1996	20 gpm	62 ft
		3N 6E 15 CB		28 ft	82 ft
Other Info	Logs	2200N 200E		70 ft	
G-085640	D	Lower Big Blue	8/16/1995		
I/O		Gage	9/21/1995	25 gpm	
		3N 6E 15 CD		44 ft	90 ft
Other Info	<u>Logs</u>	785N 2519E		60 ft	

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 3) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 16)

3 stations met your criteria.

Registration Use Status/Replace Permit Number		NRD Name Completion Date County Name Filing Date Well Location Last Update Footage Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth	
G-079902	D	Lower Big Blue	11/12/1993		
A/0		Gage	1/5/1994		
		3N 6E 16 AD		78 ft	123 ft
Other Info	Logs	1500S 200W		100 ft	
G-095594	D	Lower Big Blue	9/28/1996		5 in
A/0		Gage	4/15/1998	12 gpm	65 ft
		3N 6E 16 BB	4/16/1998	39 ft	69 ft
Other Info	<u>Logs</u>	60S 100E		60 ft	
G-102499	D	Lower Big Blue	3/4/1999		1 in
A/0		Gage	11/3/1999	20 gpm	65 ft
		3N 6E 16 CC	5/12/2000	24 ft	93 ft
Other Info	Logs	90N 1250E		80 ft	

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 3) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 17)

# 1 stations met your criteria.

Registration Status/Replac Permit Number		NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-097748	D	Lower Big Blue	8/21/1998		
I/O		Gage	9/10/1998		
		3N 6E 17 AD	9/14/1998	27 ft	60 ft
Other Info L	ogs	1600s 500W		50 ft	

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 3) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 18)

1 stations met your criteria.

Registration Status/Repla Permit Numbe	ce	NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-086512	D	Lower Big Blue	12/16/1995		
I/O		Gage	12/28/1995		
		3N 6E 18 BB		60 ft	106 ft
Other Info	Logs	267S 135E		90 ft	

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township ≈ 3) AND (RangeNum = 6)) AND (RangeLet Like "e")) AND (Section = 20)

1 stations met your criteria.

Registration Status/Replac Permit Number		NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth		
G-091746	D	Lower Big Blue	7/31/1996		1 in		
A/0		Gage	6/18/1997	10 gpm	130 ft		
		3N 6E 20 DC	6/19/1997	45 ft	149 ft		
Other Info L	ogs	150N 1720W		120 ft			

Processed: May 01, 2001

# REGISTERED GROUNDWATER WELLS DATA RETRIEVAL

Legend and Notes

Criteria = (((Township = 3) AND (RangeNum = 5)) AND (RangeLet Like "e")) AND (Section = 1)

#### 1 stations met your criteria.

Registration Use Status/Replace Permit Number		NRD Name County Name Well Location Footage	Completion Date Filing Date Last Update Abandoned Date	Acres Irrig Gallons/Min Static Level Pumping Level	Pump Col Di Pump Depth Well Depth
G-106970	D	Lower Big Blue	8/4/2000		
I/0		Gage	9/6/2000	20 gpm	
		3N 5E 1 DD	9/19/2000	35 ft	86 ft
Other Info Lo	ogs	198N 759W		45 ft	



# BEATRICE PUBLIC LIBRARY

100 North 16th Street

Beatrice, Nebraska 68310

Phone (402) 223-3584

TAX = 402-223-3913

#### FACSIMILE TRANSMISSION SHEET

	TO:	Bruce	Hayley					
		ATION: Ja						
	FROM:	Lauree	n Rie Obeat	desel	ne. us	Zollont. Z get in	heritate touch of	to de travel
	DATE:	12/15/0	10		مرحة بيرسية ما الرواحية الواجعة الواجعة المحاجمة المحاجمة المحاجمة المحاجمة المحاجمة المحاجمة المحاجمة المحاجمة الم	Lup		
	NO. OF 5	PAGES (INCLUD	ING COVER S	HEET):	۷			
		: ARE ANY PRO 123-3584.	BLEMS WITH	RECEIVING TH	E TRANSMISS	ION, PLEASE	CALL	
	Heri	is who	t dhe	found	:			
no m	rention	of anyt	hing el	ectrical	in 188	6-87 De	nectory.	
1888 -	Beat	rice Elect	tric Ligh	FC31	WW Corn	er -Fr	ont + Ell	r Sts.
1890 -	Beatr	ice Elec	tric Ligh	of Co 1	3º 24 8	setween.	EIK + EI	14
1896-	Beatr	ice Light	+ Power	r Ce. (mi	: filant 301 i	N. 1st	s gevens) 5t	
1898 -	Caci	rice Elect	7/2 08:	(same a	a strong	t r Elk.	with server	etim
				in 1888	- jat	strut .	المر مسابع لنذ	and
				an In	out the	.)		
902-3	Beatric	e Electric	: Co 1	r, plant	addre	ss giv	en	
904	Beatric	e Electric	Co/	no plan	t addre	sa gur	en	
907	Beatric	e Electric	Co	. "	er.			
1911-12-	Beatri	e Electric ce Electric ce Electri	. Ce					r
(The br	ulding corner: V" m 2	I wan the on Eller, the approp	ining " ) I'm siet	gove the sending	e Water an old lope the	Works, maps i helps	Marker Laur	with earl



# Utility Locate Form Required for All Drilling (Complete Entire Form)

Caller: Bruce Haley		Date and Time Utilities Cal	led: 3-20-	01, 13;30	
Project Manager: Bruce i	Haley	Date Accepted/Approved:	3-20-01		
Project Name: Beatrice	FMGP, Pre-CERCLIS So	reen			
Street Address: From ab	andoned Railroad tracks	West to Big Blue, South fro	m Hwy 136 to	o Scott, 1 <sup>st</sup> and Mar	ket
City: Beatrice	State:	NE	_		
Date of Drilling: 3-22-0	01	Time of Drilling:	11:00		
Time of Meet with Locators	(If Any):				
Description of Drilling Site (A	Attach Site Map):				
			_		
REQUIRED:	的"大"。 "你是我们的"我们是我们的"我们的"。				in de de de la company. La company
1/4,	, Section	,4T	_4N,	R6	_ <b></b>
SPECIFIC LOCATION OF D			building add	ition and footage(s)	,
vacant lot, connecting interse	ection(s), which side of ir	ntersection, lot number, etc.)			
Locate ID Number: 2	64132	Depth of Borir	nas: <	15'	
		<u> </u>			
Corner Lot:	Yes	No			
Corner Lot:	one Number: 800	No			
Corner Lot:  Diggers Hotline/One Call Ph	one Number: 800	No 0-331-5666			
Corner Lot:  Diggers Hotline/One Call Phone: Altell, Charter Comm	one Number: 800	No D-331-5666  Fiber Optics: Sewer: Beatrice			
Corner Lot:  Diggers Hotline/One Call Phone: Altell, Charter Comm Cable: TV (clear)	one Number: 800	No D-331-5666  Fiber Optics: Sewer: Beatrice	e ce		
Corner Lot:  Diggers Hotline/One Call Ph Phone: Altell, Charter Comm Cable: TV (clear)  Natural Gas: Peoples (clear)	one Number: 800	No  O-331-5666  Fiber Optics:  Sewer: Beatrice  ager Electric: Beatrice	e ce		
Corner Lot:  Diggers Hotline/One Call Phone: Altell, Charter Common Cable: TV (clear)  Natural Gas: Peoples (clear)  High Pressure Gas:	one Number: 800	No D-331-5666  Fiber Optics: Sewer: Beatrice  ager Electric: Beatrice  Water: Beatrice	e ce		
Corner Lot:  Diggers Hotline/One Call Phone: Altell, Charter Common Cable: TV (clear)  Natural Gas: Peoples (clear)  High Pressure Gas:	one Number: 800	Piber Optics: Sewer: Beatrice Ager Electric: Beatrice Water: Beatrice Traffic:	e ce		
Corner Lot:  Diggers Hotline/One Call Phone: Altell, Charter Common Cable: TV (clear)  Natural Gas: Peoples (clear)  High Pressure Gas:  Product Lines and USTs	one Number: 800	No D-331-5666  Fiber Optics: Sewer: Beatrice Ager Electric: Beatrice Traffic: Owner:	e ce		
Corner Lot:  Diggers Hotline/One Call Ph Phone: Altell, Charter Comm Cable: TV (clear)  Natural Gas: Peoples (clear)  High Pressure Gas: Product Lines and USTs  Other:	one Number: 800 nunications, MCI Don, 1-877-212-1900 pa	No D-331-5666  Fiber Optics: Sewer: Beatrice Ager Electric: Beatrice Traffic: Owner: Other:	e ce		
Corner Lot:  Diggers Hotline/One Call Ph Phone: Altell, Charter Comm Cable: TV (clear)  Natural Gas: Peoples (clear)  High Pressure Gas: Product Lines and USTs  Other:  Other:  EMPLOYEE MEETING UTIL	one Number: 800 nunications, MCI Don, 1-877-212-1900 pa	No D-331-5666  Fiber Optics: Sewer: Beatrice Ager Electric: Beatrice Traffic: Owner: Other:	ee ee	ar Paint Only	Meet
Corner Lot:  Diggers Hotline/One Call Ph Phone: Altell, Charter Comm Cable: TV (clear)  Natural Gas: Peoples (clear)  High Pressure Gas:  Product Lines and USTs  Other: Other:	one Number:800 nunications, MCI Don, 1-877-212-1900 pa	No D-331-5666  Fiber Optics: Sewer: Beatrice Ager Electric: Beatrice Traffic: Owner: Other: Other:	ee ee	ar Paint Only	Meet
Corner Lot:  Diggers Hotline/One Call Ph Phone: Altell, Charter Comm Cable: TV (clear)  Natural Gas: Peoples (clear)  High Pressure Gas: Product Lines and USTs  Other:  Other:  EMPLOYEE MEETING UTIL	one Number:800 nunications, MCI Don, 1-877-212-1900 pa	No D-331-5666  Fiber Optics: Sewer: Beatrice Ager Electric: Beatrice Traffic: Owner: Other: Other:	ee ee	ar Paint Only	Meet
Corner Lot:  Diggers Hotline/One Call Ph Phone: Altell, Charter Comm Cable: TV (clear)  Natural Gas: Peoples (clear)  High Pressure Gas: Product Lines and USTs  Other:  Other:  EMPLOYEE MEETING UTIL	one Number:800 nunications, MCI Don, 1-877-212-1900 pa	No D-331-5666  Fiber Optics: Sewer: Beatrice Ager Electric: Beatrice Traffic: Owner: Other: Other:	ee ee	ar Paint Only	Meet
Corner Lot:  Diggers Hotline/One Call Ph Phone: Altell, Charter Comm Cable: TV (clear)  Natural Gas: Peoples (clear)  High Pressure Gas: Product Lines and USTs  Other:  Other:  EMPLOYEE MEETING UTIL	one Number:800 nunications, MCI Don, 1-877-212-1900 pa	No D-331-5666  Fiber Optics: Sewer: Beatrice Ager Electric: Beatrice Traffic: Owner: Other: Other:	ee ee	ar Paint Only	Meet

# **APPENDIX C**

REGION VII SUPERFUND SITE PRE-CERCLIS SCREENING FORM

# REGION VII SUPERFUND SITE PRE-CERCLIS SCREENING FORM BEATRICE FORMER MANUFACTURED GAS PLANT BEATRICE, NEBRASKA

### **DEFINITION OF TERMS**

**CERCLA** is the Comprehensive Environmental Response Compensation and Liabilities Act, 42 USC '9601 et seq. (as amended).

A FACILITY is defined as any building, structure, installation, equipment, pipe or pipeline (including any pipe into a sewer or publicly-owned treatment works (POTW), well, pit, pond, lagoon, impoundment, ditch, landfill, storage container, motor vehicle, rolling stock, or aircraft or any site or area, where a hazardous substance has been deposited, stored, disposed of, or placed, or otherwise come to be located; but does not include any consumer product in consumer use or any vessel.

A HAZARDOUS SUBSTANCE means any substance, element, compound, mixture, solution, hazardous waste, toxic pollutant, hazardous air pollutant, or imminently hazardous chemical substance or mixture designated pursuant to the Clean. Water Act (CWA), CERCLA, Safe Drinking Water Act (SDWA), Clean Air Act (CAA) or Toxic Substances Control Act (TSCA). The term does not include petroleum products, natural gas, natural gas liquids, liquefied natural gas, synthetic gas or mixtures of natural and synthetic gas.

**HIGH LEVELS** may be determined by streamlined risk assessments, health consultations, state or federal soil screening criteria, and/or Superfund program policies or directives.

The LIMITATIONS ON RESPONSE provisions of the NCP [40 CFR 300.400(b)] states that removals shall not be undertaken in response to a release: of a naturally occurring substance in its unaltered or natural form; from products that are a part of the structure of, and result in exposure within, residential buildings or business or community structures; or into public or private drinking water supplies due to deterioration of the system through ordinary use.

NCP is the National Oil and Hazardous Substances Pollution Contingency Plan 40 CFR '300-302.

POLLUTANT or CONTAMINANT includes, but is not limited to, any element, substance, compound, or mixture, including disease-causing agents, which after release into the environment and upon exposure, ingestion, inhalation, or assimilation into any organism, either directly from the environment or indirectly by ingestion through food chains, will or may reasonably be anticipated to cause death, disease, behavioral abnormalities, cancer, genetic mutation, physiological malfunctions or physical deformations, in such organisms or their offspring. The term does not include petroleum products, natural gas, natural gas liquids, liquefied natural gas, synthetic gas or mixtures of natural and synthetic gas.). [40 CFR 300.5]

A **RELEASE** is defined as any spilling, leaking, pumping, pouring, emitting, emptying, discharging, injecting, escaping, leaching, dumping, or disposing into the environment (including the abandonment of barrels, containers, and other closed receptacles containing any hazardous substances or pollutant or contaminant), but excludes: workplace exposures; engine exhaust emissions; nuclear releases otherwise regulated; and the normal application of fertilizer. For purposes of the NCP, release also means threat of release. [40 CFR 300.5]

A VESSEL is defined as any description of watercraft or other artificial contrivance used, or capable of being used, as a means of transportation on water other than a public vessel. [40 CFR 300.5]

# REGION VII SUPERFUND SITE PRE-CERCLIS SCREENING FORM

NAME: Beatric	e Former Manufactured Gas Plant		
ADDRESS OR OTHER	LOCATION IDENTIFIER:		
CITY: Beatrice	COUNTY: Gage	STATE: Nebraska	<b>ZIP</b> :68310
TELEPHONE: Aband	oned Site	FAX:	
DIRECTIONS TO SITE The Site is located a 1 <sup>st</sup> ar	: From Lincoln travel south on Hwy ? d Market Street.	77 approximately 30 miles to Beatrice	

PROMEOTER DV	D. MIT OF DESCRIPTION		
REQUESTED BY: Mike Felix	DATE OF REQUEST: 3-29-01		
AGENCY/OFFICE: Nebraska Department of Environme			
MAILING ADDRESS: P.O. Box 98922			
CITY: Lincoln	STATE: Nebraska	<b>ZIP</b> : 68509-8922	
TELEPHONE: (402) 471-2186	FAX: (402) 471-2909		
EVALUATOR: Bruce Haley	<u> </u>		
AGENCY/OFFICE: Jacobson Helgoth Consultants			
MAILING ADDRESS: 1033 "O" Street, Suite 546			
CITY: Lincoln	STATE: Nebraska	ZIP: 68508	
TELEPHONE: (402) 434-6075 FAX: (402) 434-6076			

#### III. SITE INFORMATION:

TYPE OF FACILITY: Abandoned FMGP

TYPE OF OWNERSHIP: Gas utility

OWNER/OPERATOR INFORMATION:

SITE STATUS (active/inactive): Inactive

YEARS OF OPERATION: Unknown

**OPERATIONAL HISTORY** (How was the site identified?): The site was identified from a list of know former manufactured gas plants.

#### IV. SUPERFUND SITE SCREENING CRITERIA

#### A. REMEDIAL CRITERIA

#### 1. SOURCE AND WASTE CHARACTERISTICS

KNOWN OR SUSPECTED SOURCE TYPES AND LOCATIONS: contamination from the manufacture of coal gas.

SIZE OF SOURCE AND QUANTITIES (Volume, Area): Unknown

WASTE TYPES OR HAZARDOUS SUBSTANCES KNOWN OF SUSPECTED TO BE PRESENT: Unknown concentrations of PAHs and VOCs.

#### 2. GROUND WATER PATHWAY:

What is the likelihood that a release to groundwater has occurred at the site? Release has occurred.

If a release is not suspected proceed to A.3.

#### a. USE AND CHARACTERISTICS:

GENERAL STRATIGRAPHY AND HYDROGEOLOGY: Shallow ground water (<20'), silty clay loam, located directly adjacent to the Big Blue River. Flow direction is south next to the Site. The ground water in the area is a remedial action class #3 which means that the ground water under the town is not used for consumption.

PRESENCE OF KARST TERRAIN: NO

**DEPTH TO SHALLOWEST AQUIFER:** Approximately 15 feet

PRIVATE WELLS WITHIN 4 MILES (locations and population served): 22, approximately 50 people served

MUNICIPAL WELLS WITHIN 4 MILES (locations and populations served): 10 wells, approximately 12,000 people served.

**DISTANCE TO NEAREST DRINKING WATER WELL:** The nearest water supply wells are owned by the City of Beatrice and are located in Section 2 of T4N, R5E. Approximately 5 miles northwest of town.

WELLHEAD PROTECTION AREAS: Yes, established in June 2000

#### 3. SURFACE WATER PATHWAY:

What is the likelihood that a release to surface water has occurred at the site? Unknown

If a release is not suspected proceed to A.4.

### a. USE AND CHARACTERISTICS:

FLOOD FREQUENCY: Unknown

**DISTANCE TO NEAREST SURFACE WATER: 30 yards** 

SURFACE WATER BODIES WITHIN 15 DOWNSTREAM MILES: Big Blue River

DESIGNATED AND OR PROTECTED USES OF SURFACE WATER BODIES: unknown

DRINKING WATER INTAKES WITHIN 15 DOWNSTREAM MILES (locations and populations served):

FISHERIES WITHIN 15 MILES DOWNSTREAM MILES:

KNOWN OR POTENTIAL SENSITIVE ENVIRONMENTS AND WETLANDS WITHIN 15 DOWNSTREAM MILES:

#### 4. SOIL EXPOSURE PATHWAY:

What is the likelihood of exposure to hazardous substances at the site? The ground water would be impacted because of contaminated soils.

### a. CHARACTERISTICS

NUMBER OF PEOPLE LIVING WITHIN 200 FEET: 0

SCHOOLS OR DAY-CARES WITHIN 200 FEET: none (0)

POPULATION WITHIN 1 MILE: approximately 1,000

NUMBER OF WORKERS AT THE FACILITY OR ADJACENT FACILITIES WHOSE CONTAMINATION IS SUSPECTED: none (0)

LOCATIONS OF KNOWN OR POTENTIAL TERRESTRIAL SENSITIVE ENVIRONMENTS:
5. AIR PATHWAY:
What is the likelihood that a release of hazardous substances are migrating from the site to the air? None
If a release is not suspected proceed to B.
a. CHARACTERISTICS:
POPULATION WITHIN 1 MILE:
DISTANCE TO NEAREST INDIVIDUAL:
LOCATIONS OF KNOWN OR POTENTIAL SENSITIVE ENVIRONMENTS WITHIN 0 TO 1/4 MILE AND 1/4 TO 1/2 MILE:
B. REMOVAL CRITERIA
A. IS THERE A RELEASE OR THREAT OF RELEASE AS DEFINED BY THE NCP?  VES_X or NO UNKNOWN
EXPLAIN: Analytical results have verified that a release has occurred.
B. IS THE SOURCE A FACILITY OR VESSEL AS DEFINED BY THE NCP?  YES X or NO UNKNOWN
EXPLAIN: The Site was a Manufactured Gas Plant as a public utility.
C. DOES THE RELEASE OR THREAT OF RELEASE INVOLVE A HAZARDOUS SUBSTANCE, OR POLLUTANT CONTAMINANT AS DEFINED BY THE NCP?  UNKNOWN
EXPLAIN: The contaminants have been identified as PAHs.
D. IS THE RELEASE SUBJECT TO THE LIMITATIONS ON RESPONSE?  YES or NO _X_ UNKNOWN
EXPLAIN:

YES \_\_ or NO \_X

E. DOES THE QUANTITY OR CONCENTRATION WARRANT RESPONSE?

UNKNOWN EXPLAIN:	
·	
F. HAS A PRP BEEN IDENTIFIED? (Include name, address and telephone number)  YES	or NO <u>X</u>
CURRENT OWNER: City of Beatrice	
Name Address City State Zip Phone Number	
CURRENT OPERATOR: PAST OWNERS:UtiliCorp/Energy Oneaka Minnegasco	
I. IS THERE AN ACTUAL OR POTENTIAL EXPOSURE TO HAZARDOUS YES X NO SUBSTANCES, OR POLLUTANTS, OR CONTAMINANTS?	_
DEFINE THE MEDIA, PATHWAY AND RECEPTOR:	
GROUND WATER YES X NO UNKNOWN RECEPTOR: Big Blue River	
EXPLAIN: Ground water has been impacted at the Site. Beatrice is considered a RAC 3 and therefore ground water for consumption in the area. There is a potential for ground water to impact the surface water of the Big Blue River located directly adjacent to the Site.	
SURFACE WATER YES X NO UNKNOWN RECEPTOR: Big Blue River	
EXPLAIN: If contaminants leach from the Site the River may become impacted.	
SOIL YES X NO UNKNOWN RECEPTOR:	
EXPLAIN: Soil contamination was verified by soil analysis conducted at a 1992 ESA Phase I.	
AIR YES NO X UNKNOWN RECEPTOR:	
EXPLAIN:	
J. IS THERE ACTUAL OR A POTENTIAL FOR CONTAMINATION YES or NO _X_ OF DRINKING WATER SUPPLIES? POTENTIAL: YES or NO _ RELATIVE POTENTIAL: LOW X MODERATE HIGH	<u>X</u>
<b>EXPLAIN</b> : The City of Beatrice well field is located more than 5 miles Northwest of town.	

K. ARE THERE HAZARDOUS SUBSTANCES, POLLUTANTS, OR YES or NO X_ CONTAMINANTS IN DRUMS, BARRELS, BULK STORAGE UNKNOWN CONTAINERS, OR TANKS?  EXPLAIN:
L. ARE THERE HIGH LEVELS OF HAZARDOUS SUBSTANCES, YES or NO _X POLLUTANTS, OR CONTAMINANTS IN NEAR-SURFACE SOILS (< 24 INCHES)? UNKNOWN
SURFACE SOIL CONTAMINATION (0-24 INCHES)?  YES NO _X UNKNOWN
SURFICIAL WASTES PRESENT?  YES NO _X UNKNOWN
SITE ACCESSIBILITY: SECURE ACCESS LIMITED READILY ACCESSIBLE _X
WORKER POPULATION:
EXPLAIN: The Site is abandoned and the buildings have been removed.
M. ARE THERE CONDITIONS ON SITE WHICH MAY BE SUSCEPTIBLE TO YES or NO_X UNKNOWN/UNCERTAIN_
EXPLAIN:
N. IS THERE A THREAT OF FIRE OR EXPLOSION?  YES or NO X UNKNOWN/UNCERTAIN
EXPLAIN:
O. IS THERE A POTENTIAL FOR OTHER FEDERAL OR STATE  RESPONSE MECHANISMS? IF SO, IDENTIFY THE APPROPRIATE PROGRAM:  YES or NO_X_
RCRA NRC FIFRA UST OTHER FEDERAL ( )
STATE DEFERRAL
EXPLAIN:
P. ARE THERE ENDANGERED SPECIES HABITATS, WETLANDS, OR OTHER SENSITIVE ENVIRONMENTS NEARBY WHICH MAY BE ADVERSELY IMPACTED BY THE SITE?  YES or NO _X UNKNOWN
EXPLAIN:
Q. ARE THERE OTHER SITUATIONS OR FACTORS WHICH WARRANT FURTHER CERCLA RESPONSE?  YES or NO_X UNKNOWN
EXPLAIN:

V. SUPERFUND SITE SCREENING FINDINGS AND RECOMMENDATIONS:

A.	CERC	LA ELIGIB	oilii:				
_x_	_ FU	RTHER CER	CLA RESPONSE RECOMMEN	IDED			
	FU	RTHER CER	CLA RESPONSE ACTION NO	T REQU	ЛRED -	CERCLIS EI	NTRY NOT WARRANTED
(Cite	one or	more of the c	riteria from SECTION IV, as the	basis fo	or the ab	ove determina	ation.)
Yes	No	Unknown	Issue	Yes	No	Unknown	Issue
X			Ground Water Pathway Threat		х		Direct Exposure Pathway Threat
X			Surface Water Pathway Threat		X		Air Pathway Threat
			Release or Threat of Release		Х		Subject to Response Limitations
Х			A Facility or Vessel			Х	Willing/Capable PRP Response
Х			Actual or Potential Exposure Threats		х		Drums, Barrels or Bulk Containers Present
	×		High Levels of Contamination in Surface Soils		х		Site Susceptible to Adverse Weather Conditions
	х		Threat of Fire of Explosion		Х		Referred to Another Program
			d Water Pathway appears to be to migration the preferred path.	he only	pathway	where potent	tial contaminants may migrate. The silts
	OVAL		N: NT RECOMMENDED? TIME-CRITICAL X	T-NON_	TIME CI	RITICAL	YES X NO
(Cite condu		more of the cr	iteria from SECTION IV – Rem	oval, as	the bas	is for recomm	ending that a removal action be
Yes	No	Unknown	Issue	Yes	No	Unknown	Issue
Х			Exposure to Hazardous Substances or Pollutants or Contaminants		х		Adverse Weather Impacts
	x		Contaminated Drinking		Х		

		Water		Fire/Explosion Threat				
	X	Contaminated Soil	х	Drums, Barrels or Containers				
		Other Response Mechanism		Other Factors				
(Comp	MENT: plete Recommen Removal Action		Site Prioritization	n Information Attachment for sites recommended				
<b>C</b>								
X	X ADDITIONAL INTEGRATED ASSESSMENT RECOMMENDED							
	ADDITION	AL INTEGRATED ASSESSMENT NOT	'RECOMMENDE	ED				

	one or					Į.	
Yes	No	Unknown	Issue	Yes	No	Unknown	Issue
Х			Ground Water Pathway Threat				Direct Exposure Pathway Threat
			Surface Water Pathway Threat				Air Pathway Threat
			Release of hazardous Substances or Pollutants or Contaminants				The Source is a Facility as Defined by the NCP
			CERCLA ALimitations of Response@ Provisions Do Not Apply				Contaminants Present in Sufficient Quantity and/or Concentration
			Willing/Capable PRPS Willing to Respond at this Time		·		Actual or Potential Exposure Threat
			Drums, Barrels or Bulk Containers Present				High Levels of Contamination in Surface Soils
			The Site is Susceptible to Adverse Weather Conditions				Threat of Fire of Explosion
			Other Federal, State, or Other Response Mechanisms Available to Investigate the				Endangered Species, Wetlands, or Other Sensitive Environments which may be impacted by the Site

	.		Site							
OTHER (DESCRIBE):										
VI. ADDITIONAL INFORMATION OF COMMENTS:										
(NOTE: Complete Site Prioritization Information Summary Attachment for sites recommended for further Integrated Assessment work.)										
VII.	EVA	LUATOR								
SIGNA	ATURE	Bru	- Haly	D	Z ATE:_	5-	7-01			
POSIT	ION/T	TITLE: <u>G</u>	eulogist 1	Jacob	con t	-lelgo	th Con	nscoltants,	Inc	
SIGNATURE: Bree Haly DATE: 5-7-01  POSITION/TITLE: Geologist Jacobson Helgoth Consultants, Inc  OFFICE/AGENCY:										
REVIE	WED	BY:			DATE:_					

# APPENDIX D

**BEATRICE TOPOGRAPHIC MAP** 

